

ELDORADO CHEMICAL CO. INC. -- ED-371 -- 6850-00-559-2835

=====
===== Product Identification =====

Product ID:ED-371
MSDS Date:01/01/1985
FSC:6850
NIIN:00-559-2835
MSDS Number: BFFKH
=== Responsible Party ===
Company Name:ELDORADO CHEMICAL CO. INC.
Address:14350 LOOKOUT ROAD
Box:34837
City:SAN ANTONIO
State:TX
ZIP:78265
Country:US
Info Phone Num:512-653-9323
Emergency Phone Num:800-531-1088
CAGE:55208

=
== Contractor Identification ==
Company Name:ELDORADO CHEMICAL COMPANY, INC.
Address:14350 LOOKOUT ROAD
Box:34837
City:SAN ANTONIO
State:TX
ZIP:78265-4837
Country:US
Phone:800-531-1088/ 210-653-2060
CAGE:55208

=====
===== Composition/Information on Ingredients =====

Ingred Name:ETHANOLAMINE
CAS:141-43-5
RTECS #:KJ5775000
Fraction by Wt: 5%
OSHA PEL:3 PPM/6 STEL
ACGIH TLV:3 PPM/6 STEL; 9192

Ingred Name:CRESOL, ALL ISOMERS (CRESYLIC ACID) (SARA III)
CAS:1319-77-3
RTECS #:GO5950000

OSHA PEL:S, 5 PPM
ACGIH TLV:S, 5 PPM; 9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

===== Hazards Identification =====

Effects of Overexposure:INH: NAUSEA. SKIN: DEFATTING/AMINE RASH. EYES:
IRRIT.

===== First Aid Measures =====

First Aid:INH:REMOVE TO FRESH AIR. SKIN:WASH W/ SOAP & WATER.
EYES:FLUSH W/ WATER FOR 15 MIN;SEE MD.

===== Fire Fighting Measures =====

Flash Point:23
5F;113C (COC)
Extinguishing Media:CO*2,FOAM
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:TAKE UP W/ OIL ABSORBENT MATERIAL & BURY IN
SANITARY LANDFILL. SMALL AMOUNTS MAY BE FLUSH TO SEWAGE SYSTEM W/
WATER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED(MFR)
Ventilation:LOCAL EXHAUST-200 CFM TO KEEP BELOW TLV
Protecti
ve Gloves:RUBBER
Eye Protection:FACE SHIELD
Other Protective Equipment:RUBBER APRONS & BOOTS
Supplemental Safety and Health
OTHER EMERGENCY PHONE: 512-494-5337. SPEC: TYPE II. CONTAINER: 55 GAL
CAN.

===== Physical/Chemical Properties =====

HCC:B3
Boiling Pt:B.P. Text:270F;132C
Vapor Pres:1
Spec Gravity:0.9
Evaporation Rate & Reference:SAME AS WATER
Solubility in Water:EMULSIFIERS
Appearance and Odor:THIN,AMBER LIQUID
Percent Volatiles by Volume:60

=====

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

NONE

Hazardous Decomposition Products: NONE

===== Disposal Considerations =====

Waste Disposal Methods: MFR RECOMMENDS: TREATING MATERIAL TO REMOVE
NON-VOLATILE HYDROCARBONS & PHENOLICS; FLUSH REMAINDER TO SEWAGE
SYSTEM. DISPOSAL METHOD MUST BE IAW FEDERAL, STATE & LOCAL CODES.

Disclaimer (provided with this information by the compiling agencies):

This

information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.