

ELDORADO CHEMICAL CO. INC. -- ED-371 -- 6850-00-559-2835

=====  
===== Product Identification =====

Product ID:ED-371  
MSDS Date:01/01/1985  
FSC:6850  
NIIN:00-559-2835  
MSDS Number: BFFKH  
=== Responsible Party ===  
Company Name:ELDORADO CHEMICAL CO. INC.  
Address:14350 LOOKOUT ROAD  
Box:34837  
City:SAN ANTONIO  
State:TX  
ZIP:78265  
Country:US  
Info Phone Num:512-653-9323  
Emergency Phone Num:800-531-1088  
CAGE:55208

=  
== Contractor Identification ==  
Company Name:ELDORADO CHEMICAL COMPANY, INC.  
Address:14350 LOOKOUT ROAD  
Box:34837  
City:SAN ANTONIO  
State:TX  
ZIP:78265-4837  
Country:US  
Phone:800-531-1088/ 210-653-2060  
CAGE:55208

=====  
===== Composition/Information on Ingredients =====

Ingred Name:ETHANOLAMINE  
CAS:141-43-5  
RTECS #:KJ5775000  
Fraction by Wt: 5%  
OSHA PEL:3 PPM/6 STEL  
ACGIH TLV:3 PPM/6 STEL; 9192

Ingred Name:CRESOL, ALL ISOMERS (CRESYLIC ACID) (SARA III)  
CAS:1319-77-3  
RTECS #:GO5950000

OSHA PEL:S, 5 PPM  
ACGIH TLV:S, 5 PPM; 9192  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

===== Hazards Identification =====

Effects of Overexposure:INH: NAUSEA. SKIN: DEFATTING/AMINE RASH. EYES:  
IRRIT.

===== First Aid Measures =====

First Aid:INH:REMOVE TO FRESH AIR. SKIN:WASH W/ SOAP & WATER.  
EYES:FLUSH W/ WATER FOR 15 MIN;SEE MD.

===== Fire Fighting Measures =====

Flash Point:23  
5F;113C (COC)  
Extinguishing Media:CO\*2,FOAM  
Fire Fighting Procedures:NONE  
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:TAKE UP W/ OIL ABSORBENT MATERIAL & BURY IN  
SANITARY LANDFILL. SMALL AMOUNTS MAY BE FLUSH TO SEWAGE SYSTEM W/  
WATER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED(MFR)  
Ventilation:LOCAL EXHAUST-200 CFM TO KEEP BELOW TLV  
Protecti  
ve Gloves:RUBBER  
Eye Protection:FACE SHIELD  
Other Protective Equipment:RUBBER APRONS & BOOTS  
Supplemental Safety and Health  
OTHER EMERGENCY PHONE: 512-494-5337. SPEC: TYPE II. CONTAINER: 55 GAL  
CAN.

===== Physical/Chemical Properties =====

HCC:B3  
Boiling Pt:B.P. Text:270F;132C  
Vapor Pres:1  
Spec Gravity:0.9  
Evaporation Rate & Reference:SAME AS WATER  
Solubility in Water:EMULSIFIERS  
Appearance and Odor:THIN,AMBER LIQUID  
Percent Volatiles by Volume:60

=====

=====  
Stability and Reactivity Data  
=====

Stability Indicator/Materials to Avoid: YES

NONE

Hazardous Decomposition Products: NONE

=====  
Disposal Considerations  
=====

Waste Disposal Methods: MFR RECOMMENDS: TREATING MATERIAL TO REMOVE  
NON-VOLATILE HYDROCARBONS & PHENOLICS; FLUSH REMAINDER TO SEWAGE  
SYSTEM. DISPOSAL METHOD MUST BE IAW FEDERAL, STATE & LOCAL CODES.

Disclaimer (provided with this information by the compiling agencies):

This

information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.