View NSN Online: https://aerobasegroup.com/nsn/9150-00-577-4241 PHIPPS PRODUCTS CORP -- MIL-L-26087B, GRADE I, LUBE OIL, RECPRCTG COMP 9150-00-577-4241 Product ID:MIL-L-26087B, GRADE I, LUBE OIL, RECPRCTG COMP MSDS Date:01/01/1987 FSC:9150 NIIN:00-577-4241 MSDS Number: BFFTR === Responsible Party === Company Name: PHIPPS PRODUCTS CORP Emergency Phone Num:(215) 485-1121 CAGE:86511 === Contractor Identification === Company Name:PH IPPS PRODUCTS CORP Address: 186 LINCOLN ST SUITE 502 Box:City:BOSTON State:MA ZIP:02111-2403 Country:US Phone: OUT OF BUSINESS CAGE:86511 ======= Composition/Information on Ingredients ======== Ingred Name: REFINED NAPHTHENIC OILS Fraction by Wt: 99.8% ACGIH TLV:5MG/CUM(MIST) Ingred Name: ADDITIVES, MIXTURE OF ANTIOXIDANTS, DEFOAMER, RUST INHIBITOR Fraction by Wt: 0.2% Effects of Overexposure: EYES: MILD TRANSIENT IRRI T:SKIN:MAY CAUSE DISCOMFORT/DRYNESS;INGEST:STOMACH UPSET,DIARRHEA. First Aid:INHAL:RMV TO FRESH AIR. IF NOT BRTHNG GIVE CPR; IF BRTHNG DIFF GIVE OXYGEN. EYE:IMMED FLUSH W/PLENTY OF WATER. SKIN:WASH W/SOAP&WATER. RMV CONTAM CLTHG&SHOES. INGEST:INDUCE VOMIT. RPT UNTIL VOMIT IS C LEAR. NOTHG BY MOUTH IF UNCONSC. GET MEDICAL ATTN.

Flash Point:>

| 370F COC Extinguishing Media:CO*2, FOAM, DRY CHEM & H*20 FOG. Fire Fighting Procedures:WEAR SELF-CNTD BRTHG,APP H*20 SPRAY TO COOL CONTR. Unusual Fire/Explosion Hazard:NONE NOTED BY MANUFACTURER. |
|---|
| ========== Accidental Release Measures ========== |
| Spill Release Procedures:REMOVE IGNITION SOURCES,VENTILATE AREA WELL.ABSORB WITH VERMICULITE OR OTHER MATERIALS, SUCH AS SAWDUST,RAGS,PAPER & PLACE IN CLOSED CONTAINER. USE NON SPARKING TOOLS. WEAR PROPER PROTECTIVE EQ UIPMENT DURING CLEAN UP. |
| =========== Handling and Storage ============ |
| Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP CONTAINERS TIGHTLY CLOSED Other Precautions:AVOID BREATHING OF MIST.STORAGE PER NFPA CLASS IIIB. |
| ====== Exposure Controls/Personal Protection ======== |
| Respiratory Protection:NIOSH/MESA APPR SCBA/AIR SUPP RESPIR. Ventilation:LOCAL EXHAUST TO MAIN TN BELOW TLV. Protective Gloves:IMPERVIOUS |
| Eye Protection:CHEM SPLASH GOGGLES Other Protective Equipment:FULL WORK CLOTHING TO PREVENT REPEATED OR PROLONGED CONTACT. |
| Supplemental Safety and Health MSDS UNDATED; ITEM IS GRADE I OF MIL-L-26087B |
| ========== Physical/Chemical Properties ========== |
| HCC:V6 Vapor Density:12 Spec Gravity:0.93 Solubility in Water:NEGLIGIBLE Appearance and Odor:AMBER FLUID,SLIGHT ODOR |
| ========== Stability and Reactivity Data ========= |

===

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS Stability Condition to Avoid:IGNITION SOURCES Hazardous Decomposition Products:CARBON MONOXIDE & ASPHYXIANTS

====== Disposal Considerations ==========

Waste Disposal Methods:ELIMINATE IGNITION SOURCES. DESTROY BY LIQUID INCINERATION. INCINERATION WILL BE EASIER BY MIXING WITH A MORE FLAMMABLE SOLVENT. HANDLE & DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE INTERNATIONAL, FED, STATE & LOCAL REG ULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particu

lar situation.