View NSN Online: https://aerobasegroup.com/nsn/8010-00-598-5738 STIC-ADHESIVE PROD CO, INC -- TT-P-29 -- 8010-00-598-5738 ============ Product Identification ========================= Product ID:TT-P-29 MSDS Date:01/01/1985 FSC:8010 NIIN:00-598-5738 MSDS Number: BFFYP === Responsible Party === Company Name: STIC-ADHESIVE PROD CO, INC Emergency Phone Num:213-268-2956 CAGE:59142 === Contractor Identification === Company Name: STIC-ADHESIVE PRODUCTS CO INC Address:3950 MEDFORD ST Box:City:L **OS ANGELES** State:CA ZIP:90063-1675 Country:US CAGE:59142 ====== Composition/Information on Ingredients ======== Ingred Name:1-3-(CHLOROALLYL)-3,5,7-TRIAZA-1-AZONIAADAMANTANE CHLORIDE CAS:4080-31-3 RTECS #:XX8450000 ACGIH TLV:200PPM Ingred Name: FORMALDEHYDE (SARA III) CAS:50-00-0 RTECS #:LP8925000 OSHA PEL:SEE 1910.1048 ACGIH TLV:C 0.3 PPM; A2; 9293 EPA Rpt Qty:100 LBS

DOT Rpt Qty:100 LBS

Effects of Overexpos

ure:IRRIT OF EYES/NASAL PASSAGE/SKIN
======================================
First Aid:SKIN: WASH W/SOAP & WATER. EYE: FLUSH W/COLD WATER. SWALLOWED: INDUCE VOMIT, CALL MD.
======================================
Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard:NONE
======== Accidental Release Measures =========
Spill Release Procedures:CLEAN UP W/WATER BEFORE DRYING. SPRINKLE SODIUM CHLORIDE OR CALCIUM ON SPILL TO FACILITATE CLEANUP.
======================================
Handling and Storage Precautions:USE W/ADEQUATE VENT. STORE BETWEEN 40-100F. REMOVE FROM SKIN AS SOON AS PRACTICAL AFTER CNTCT. Other Precautions:PIPELINES SHOULD BE FILLED AT ALL TIMES, OR THOROUGHLY RINSED AFTER USE. KEEP CNTNRS TIGHTLY SEALED.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:MASK WORN TO PREVENT INH OF SPRAY MIST OR HEATED VAPORS Ventilation:LOCAL &/OR MECH Protective Gloves:RUBBER/PLASTIC Eye Protection:SAFETY GLASSES/GOGGLES Supplemental Safety and Health
======== Physical/Chemical Properties =========
HCC:T4 Solubility in Water:COMPLETE
========= Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES
======= Disposal Considerations ==========
Waste Disposal Methods:DISPOSE IAW STANDARD PROCEDURES USED

W/LATEX PROD

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.