

AERVOE-PACIFIC CO., INC -- LACQUER 30277 -- 8010-00-582-4743

=====  
Product Identification  
=====

Product ID:LACQUER 30277

MSDS Date:01/01/1987

FSC:8010

NIIN:00-582-4743

MSDS Number: BFGGB

=== Responsible Party ===

Company Name:AERVOE-PACIFIC CO., INC

Address:2424 MERCED ST.

Box:2112

City:SAN LEANDRO

State:CA

ZIP:94577-4211

Country:US

CAGE:33451

=== Contractor Identification ===

Company Name:AERVOE

-PACIFIC CO, INC.

Address:1198 SAWMILL RD

Box:City:GARDNERVILLE

State:NV

ZIP:89410

Country:US

Phone:(702)-782-0100

CAGE:33451

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ALIPHATIC HYDROCARBON SOLVENT

Ingred Name:AROMATIC HYDROCARBONS

=====  
Hazards Identification  
=====

Effects of Overexposure:INHAL:ANESTHETIC.IRRIT. OF RESPIRAT TRACT OR  
ACUTE NERV SYS DEPRESS CHARACT BY HDACH,DIZZ,POSS UNCON

=====

First Aid Measures =====

First Aid:VAPORS:REMOV FROM EXPOS & RESTORE BREATHING-SEEK MEDICAL  
ATTN. SPLASH SKIN:WASH AFFECTED AREA-REMOV CONTAMINAT CLOTHING SEE  
PHYSICIAN IF ANY IRRITATION PERSISTS. SPLASH EYE-FLUSH IMMED.  
W/WATR F/15 MI N & TAKE TO A PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point:19F -22C

Lower Limits:1.0

Extinguishing Media:CO\*2,DRY CHEM,OR FOAM.ANY CL"B"FIRE  
EXTINGR/EXTINGUISH AGENT

Fire Fightin

g Procedures:WATR SPRA MAY BE INEFFECT,WATR SPRA MAY BE USE  
TO COOL CONTR

Unusual Fire/Explosion Hazard:COS CONTNRS MAY EXPLOD DUE TO BUILD UP OF  
PRESSR FROM EXTREME HEAT OR FIRE

===== Accidental Release Measures =====

Spill Release Procedures:REMOV ALL SOURCES OF  
IGNITION:FLAMES,SPARKS,ELECT

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE ABOVE 120F. DO NOT STORE  
OR USE NEAR HEAT, S  
PARKS OR FLAME.

Other Precautions:DO NOT GET IN EYES. AVOID SKIN CONTACT. PREVENT  
PROLONGED OR REPEATED BREATHING OF VAPORS OR SPRAY MIST. DO NOT  
TAKE INTERNALLY.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:OUTDRS:APPRVD MECH PARTICULATE FILTR TO REMOV  
AIRBORN OVRSPRAY.(SUP)

Ventilation:ALL APPLICATION AREAS SHLD BE VENTIL TO KP SOLVNT VAP BELOW

Protective Gloves:RECOMMEND

Eye Protection:SAFETY EYEW R W/SIDE SHIEL

Supplemental Safety an

d Health

RESPIR PROT-RESTRICTED AREAS W/VENTILAT-USE APPRVD CHEM MECH RESPIRAT  
FOR USE W/SOLVNT CONTNING PAINTS.

===== Physical/Chemical Properties =====

HCC:V3

Boiling Pt:B.P. Text:-10F -23C

Vapor Density:HEAV

Spec Gravity:0.9

Solubility in Water:NEGLIGIBLE

Percent Volatiles by Volume:91

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:HIGH TEMPERATURES

Hazardous Decomp

osition Products:CO & POSSIBL TRACES OF HYDROGEN  
CHLORIDE OR PHOSGENE

===== Disposal Considerations =====

Waste Disposal Methods:DO NOT INCINERATE CLOSED CONTAINERS

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all lia

bility for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.