

FINE ORGANICS CORPORATION -- F.O.448 CLEANING COMPOUND -- 6850-00-584-4077

=====  
Product Identification  
=====

Product ID:F.O.448 CLEANING COMPOUND

MSDS Date:01/01/1987

FSC:6850

NIIN:00-584-4077

MSDS Number: BFGQV

=== Responsible Party ===

Company Name:FINE ORGANICS CORPORATION

Emergency Phone Num:800-526-7480

CAGE:84519

=== Contractor Identification ===

Company Name:FINE ORGANICS CORPORATION

Addr

ess:205 MAIN ST

Box:687

City:LODI

State:NJ

ZIP:07644-0687

Country:US

CAGE:84519

=====  
Composition/Information on Ingredients  
=====

Ingred Name:HEAVY AROMATIC NAPHTHA CAS# 64742-94-5

Fraction by Wt: 90%

ACGIH TLV:100 PPM

Ingred Name:2-BUTOXYETHANOL

CAS:111-76-2

RTECS #:KJ8575000

Fraction by Wt: 2%

OSHA PEL:S, 50 PPM

ACGIH TLV:S, 25 PPM; 9293

=====  
Hazards Identification  
=====

Effects of Overexposure:SKIN & EYE;IRRITATION.INHAL OF HIGH VAPO

R CONC

WILL RESULT IN MILD DEPRESS OR RESP IRRIT.(SEE SUPP)

=====  
===== First Aid Measures =====

First Aid:WASH W/WARM WATER & MILD SOAP. APPLY CREAM IF SKIN APPEARS DRY. EYE; FLUSH WITH WATER. GET MED ATTN. INGEST: DO NOT INDUCE VOMITING. CALL A PHYSICIAN. INHAL:REMOVE TO FRESH AIR ADMINISTER OXYGEN. CAL L A PHYSICIAN.

=====  
===== Fire Fighting Measures =====

Flash Point:175F, 79C COC

Extinguishing Media:DRY CHEMIC

AL, FOAM, CO\*2, WATER SPRAY OR FOG.

Fire Fighting Procedures:COOL EXPOSED CONTAINERS WITH WATER.

Unusual Fire/Explosion Hazard:COMBUSTIBLE LIQUID.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ANY IGNITION SOURCE. REMOVE FREE LIQUID BY ABSORBENT MATERIAL. FLUSH AREA W/WATER. KEEP PETROLEUM PRODUCTS OUT OF PUBLIC WATERWAYS, UTILIZE CHEMIAL SEWERS. VENTILATE ENCLOSED SPACES

=====  
===== Handling and Storage =====

=====

Handling and Storage Precautions:KEEP AWAY FROM OPEN FIRE & FLAMES. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE.

Other Precautions:PRACTICE REASONABLE CARE TO AVOID SKIN & EYE CONTACT.AVOID CONTAMINATION OF FOODS.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED EQUIPMENT IF CONCENTRATION EXCEEDS TLV.

Ventilation:MECHANICAL

Protective Gloves:NEOPRENE

Eye Protection:GOGGLES OR FACE SHIELD

Other Protecti

ve Equipment:CLEAN BODY, COVERING CLOTH,EYE BATH, SAFETY  
SHOWER.

Supplemental Safety and Health

MSDS PREP:OCT 1985. EFFECT OF OVEREXPOSURE:ORAL INGESTION CAN BE FATAL.

===== Physical/Chemical Properties =====

HCC:V4

Boiling Pt:B.P. Text:400F,204C

Spec Gravity:0.927

Solubility in Water:DISPERSABLE

Appearance and Odor:CLAR & AMBER, MILDLY AROMATIC LIQUID.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:Y

ES

Stability Condition to Avoid:OPEN SPARKS & FLAMES

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE ABSORBENT MATERIAL. CART SPENT  
MATERIAL TO CHEMICAL DISPOSAL AREA, IN ACCORDANCE WITH LOCAL, STATE  
& FEDERAL EGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
ex

pressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.