

PRATT AND LAMBERT INC -- 742426 ENAMEL ALKYD GLOSS GREEN 14158 -- 8010-00-616-7689
===== Product Identification =====

Product ID:742426 ENAMEL ALKYD GLOSS GREEN 14158

MSDS Date:01/01/1987

FSC:8010

NIIN:00-616-7689

MSDS Number: BFHZS

=== Responsible Party ===

Company Name:PRATT AND LAMBERT INC

Address:16116 E 13TH ST

Box:2153

City:WICHITA

State:KS

ZIP:67201

Country:US

Info Phone Num:316-733-1361

E

mergency Phone Num:716-873-6000 DOT EMER 8002553924

CAGE:61196

=== Contractor Identification ===

Company Name:PRATT AND LAMBERT INC

Box:6027

City:CLEVELAND

State:OH

ZIP:44101-1027

Country:US

Phone:216-566-2902

CAGE:61196

===== Composition/Information on Ingredients =====

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7

RTECS #:XR2275000

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:*MINERAL SPIRITS

CAS:64475-85-0

RTECS #:PY8240000

ACGIH TLV:100PPM

Ingred Nam

e:XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS:1330-20-7

RTECS #:ZE2100000

OSHA PEL:100 PPM/150 STEL

ACGIH TLV:100 PPM/150STEL;9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:IRON OXIDE

CAS:1332-37-2

RTECS #:NO7380000

Ingred Name:CARBON BLACK

CAS:1333-86-4

RTECS #:FF5800000

OSHA PEL:3.5 MG/M3

ACGIH TLV:3.5 MG/M3; 9192

===== Hazards Identification =====

Effects of Overexposure:SWALLOW:GASTROINTESTINALIRRIT,
NAUSEA,VOMIT,DIARRHEA.MATRL INTO LUNGS C
AN CAUS FATAL PNEUMONITIS

===== First Aid Measures =====

First Aid:IF SWALLOW:INDUCE VOMITING IMMEDI BY GIVING 2 GLASSES OF WATR&
STICKING FINGR DOWN THROAT.CONSULT DR OR POISON CONTROL CENTR
IMMED. (NEVER GIVE ANYTHING BY MOUTH AN UNCONSCIOUS PERSON)
INHAL:REMOV TO F RESH AIR IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point:80F 27C

Extinguishing Media:CL B FIRES:CO*2, DRY CHEMICAL OR ALCOH FOAM.

Fi

re Fighting Procedures:SELF-CONTND BREATHING APPARAT. WATR TO COOL
EXPOS CONTNRS

Unusual Fire/Explosion Hazard:CONTNRS TIGHTLY CLOS.ISOLAT FR
HEAT,ELECTR EQPMT,SPARKS & FLAME.MAY EXPLOD IF EXPOS TO EXTREME
HEAT.

===== Accidental Release Measures =====

Spill Release Procedures:KEEP SPECTATORS AWAYELIMINATE ALL IGNITION
SOURCES (FLAMES,HOT SURFACES, & SOURCES OF ELECTRICAL,STATIC OR
FRICTIONAL SPARKS).DIKE & CONTAIN SPILL W/INERT MATRL(E.G. SAND,

EARTH).TRANSFR LIQDS TO COVE R METAL CONTNR F/RECOVRY OR
DISPOSAL,REMOV W/INERT

=====
===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE ABOV 120F.STORE LG
QUANTITIES IN COMPLIANCE W/OSHA 29CFR1910.105.

Other Precautions:DO NOT TAKE INTERNALLY.CLOS CONTNR AFTER USE. EMPTY
CONTNRS MUST NOT BE WASHED & RE-USED F/ANY PURPOSE.CONTNRS MUST BE
GROUNDED & BONDED TO RECEIVING CONTNR.DO NOT WELD,BRAZE,CUT ON
EMPTY CONT

=====
===== Exposure Controls/Personal Protection =====

Ventilation:LOC EXHAUST VENTILAT TO REMOV DECOMPOSITION BY PRODUCTS.

Protective Gloves:SOLVNT IMPERMEA

Eye Protection:SAFETY SPECTACLES AT ALL

Other Protective Equipment:NOT LIKELY TO BE NEEDED.

Supplemental Safety and Health

*INDICATES SOLVENT. HAZ. DECOMP.PRODUCTS: IN ADDIT, OXIDES OF LEAD MAY
BE GENERATED.

=====
===== Physical/Chemical Properties =====

HCC:F3

Boiling Pt:B.P. Text:193-395F

Vapor Densi

ty:HEAV

Evaporation Rate & Reference:SLOWER THAN ETHER

Percent Volatiles by Volume:60

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS OR ALKALINE MATERIALS.

Hazardous Decomposition Products:BURNING,HEAT BY WELDING,CUTTING WILL
PROD SMOK,CO & CO*2.(SU

=====
===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN ACCORD W/FED. STATE & LOC LAWS.CONTAM
ABSORBANT MAY BE

DISPOS IN EPA-PERMITTED HAZARDOUS WASTE LANDFILLS.

INCINERATE ONLY INEPA PERMITTED FACILITY. DO NOT INCINERATE CLOSED
CONTAINERS.OBSER V PRECAUTIONS F/FLAMMABLE MATERIAL DISPOSAL.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its

use. Any person utilizing this

document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.