View NSN Online: https://aerobasegroup.com/nsn/6850-00-619-7715

GEORGE SENN CO., DIV. OF GLOBE SOLVENTS CO. INC. -- CLEANING COMPOUND SOLVENT, O-C-1889 -- 6850-00-619-7715 Product ID:CLEANING COMPOUND SOLVENT, O-C-1889 MSDS Date:01/01/1985 FSC:6850 NIIN:00-619-7715 MSDS Number: BFJHZ === Responsible Party === Company Name: GEORGE SENN CO., DIV. OF GLOBE SOLVENTS CO. INC. Address:2200 E WESTMORELAND ST City:PHILADELPHIA State:PA ZIP:19134-3229 Country:US CAGE:LO709 === Contractor Identification === Company Name: GEORGE SENN CO., DIV. OF GLOBE SOLVENTS CO. INC. Address:2200 E WESTMORELAND ST Box:City:PHILADELPHIA State:PA ZIP:19134-3229 Country:US CAGE:LO709 Company Name: SENN GEORGE INC Address:2200 E WESTMORELAND ST Box:City:PHILADELPHIA State:PA ZIP:19134-3229 Country:US CAGE:86944

Ingred Name:METHYLENE CHLORIDE (SARA III) CAS:75-09-2 RTECS #:PA8050 000 Fraction by Wt: 25%. OSHA PEL:500 PPM/C,1000; Z2 ACGIH TLV:50 PPM, A2; 9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:STODDARD SOLVENT CAS:8052-41-3 RTECS #:WJ8925000 Fraction by Wt: 70% OSHA PEL:500 PPM ACGIH TLV:100 PPM; 9293

Ingred Name:PERCHLOROETHYLENE (TETRACHLOROETHYLENE) (SARA III) CAS:127-18-4 RTECS #:KX3850000 Fraction by Wt: 5%. OSHA PEL:100 PPM ACGIH TLV:25PPM/100,A3 STEL;94 EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Effects of Overexposure: HIGHER CONCENRATIONS (IF INHALED) GIVE INCREASING SIGNS OF ANESTHESIA.

First Aid:INHALATION:IF ILLNESS OCCURS REMOVE PATIENT TO FRESH AIR. KEEP QUIET & WARM. GET MEDICAL ATTENTION. EYE:IMMEDIATELY FLUSH W/WATER FOR AT LEAST 15 MINS. SKIN: WASH THOROUGHLY W/MILD SOAP & WATER.

Flash Point:107F Extingui

shing Media:CO*2, DRY CHEMICAL Unusual Fire/Explosion Hazard:DURING FIRE DECOMPOSES INTO PHOSGENE GAS
======================================
Spill Release Procedures:SMAL SPILL-MOP UP, WIPE OR SOAK UP W/ABSORBENT MATERIAL. LARGE SPILL-EVACUATE AREA, FLUSH W/WATER AND LET EVAPORATE. (MFG REC)
======================================
Handling and Storage Precautions:STORE IN COOL AREA.
========= Exposure Controls/Personal Pr otection ================
Respiratory Protection:NONE NORMALLY REQUIRED (MFG) Ventilation:LOCA EXHAUST-YES. USE WITH ADEQUATE VENTILATION. Protective Gloves:PRLND RPTD USE Eye Protection:SAFETY GLASSES Supplemental Safety and Health MFG LISTS FLASH PT AFTER 35% EVAPORATION TO BE 107F.
======================================
HCC:F4 Boiling Pt:B.P. Text:103F Solubility in Water:SLIGHTY Percent Volatiles by Volume:100
======================================
Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid:AVOID OPEN FLAME. Hazardous Decomposition Products:PHOSGENE IN PRESENCE OF OPEN FLAME
Waste Disposal Methods:DISPOSE IN ACCORDANCE W/LOCAL, STATE, AND FEDERAL CODES.
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United S

tates of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.