

PRODUCTS TECHNIQUES INC -- PT-107 -- 5970-00-647-3676

===== Product Identification =====

Product ID:PT-107
MSDS Date:01/01/1985
FSC:5970
NIIN:00-647-3676
MSDS Number: BFJWS
=== Responsible Party ===
Company Name:PRODUCTS TECHNIQUES INC
Address:3271 S RIVERSIDE AVE
City:RIALTO
State:CA
ZIP:92316
Country:US
Emergency Phone Num:NONE
CAGE:IO636
=== Contractor Identification ===
Company Name:PRODUCTS
TECHNIQUES INC
Address:3271 SO RIVERSIDE AVE
Box:City:RIALTO
State:CA
ZIP:92316
Country:US
Phone:714-887-3951;213-770-3600
CAGE:IO636
Company Name:PRODUCTS/TECHNIQUES INC
Address:3271 S RIVERSIDE AVE
Box:City:RIALTO
State:CA
ZIP:92376
Country:US
Phone:909-877-3951
CAGE:06341

===== Composition/Information on Ingredients =====

Ingred Name:NAPHTHA (PETROLEUM SPIRITS OR BENZIN)
CAS:8030-30-6
RTECS #:SE7555000
Fraction by Wt: 41.6%
OSHA PEL:100 PPM

Ingred Name:XYLENES (O-,M-,P- I

SOMERS) (SARA III)
CAS:1330-20-7
RTECS #:ZE2100000
Fraction by Wt: 3.62%
OSHA PEL:100 PPM/150 STEL
ACGIH TLV:100 PPM/150STEL;9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:RESIN
Fraction by Wt: 51.3%

Ingred Name:SALICYLANILIDE
CAS:87-17-2
RTECS #:VN7850000
Fraction by Wt: 3.45%
ACGIH TLV:500 PPM

===== Hazards Identification =====

Effects of Overexposure:HEADACHE,NAUSEA,MODERATELY IRRITATING TO EYES &
SKIN

===== First Aid Measures =====

First Aid:REMOVE VICTIM FROM VAPORS,RESTORE BREATHING IF
NECESSARY.REMOVE FROM SKIN WITH SOAP & WATER. FLUSH EYES WITH
PLENTY OF WATER

===== Fire Fighting Measures =====

Flash Point:82F-TCC
Lower Limits:1.1
Upper Limits:7.0
Extinguishing Media:CARBON DIOXIDE,FOAM, OR DRY CHEMICAL
Fire Fighting Procedures:DO NOT USE WATER
Unusual Fire/Explosion Hazard:VAPOR MAY FORM EXPLOSIVE MIXTURE BETWEEN
UPPER &LOWER EXPLOSIVE LIMITS.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE SOURCES OF IGNITION,APPLY SAWDUST OR
OTHER ABSORBENT MATERIAL.KEEP MATERIAL FROM SPREADING

===== Handling and Storage =====

Handling and Storage Precautions:FLAMMABLE-STORE AWAY FROM OPEN FLAME
AND HIGH HEAT.
Other Precautions:DO NOT TAKE INTERNALLY.AVOID PROLONGED SKIN CONTACT

===== Exposure Controls/Personal Protection =====

=

Respiratory Protection:FOR CONFINED AREAS USE BUREAU OF MINES
RESPIRATORY DEVICE

Ventilation:LOCAL TO KEEP BELOW LOWER EXPLOSIVE LIMIT

Protective Gloves:YES

Eye Protection:YES

Other Protective Equipment:RUBBER SOLES.BM2304 CARTRIDGE,BM23-12
FILTERS,BM23-13 CUPS

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F3

Boiling Pt:B.P. Text:225-300F

Vapor Density:>1.0

Evaporation Rate & Reference:SLOWER THAN ETHER

Appearance and Odo

r:LIQUID

Percent Volatiles by Volume:52.7

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZERS

Hazardous Decomposition Products:CO,CO*2,ALDEHYDES AND OTHER ORGANICS

===== Disposal Considerations =====

Waste Disposal Methods:PUT IN METAL CONTAINER AND SEAL FOR DISPOSAL

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of
the Department

of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.