

SPRAY-ON PRODUCTS INC. -- SPRAY-ON 608 -- 5970-00-647-3676

=====  
Product Identification  
=====

Product ID:SPRAY-ON 608

MSDS Date:01/01/1987

FSC:5970

NIIN:00-647-3676

MSDS Number: BFJWT

=== Responsible Party ===

Company Name:SPRAY-ON PRODUCTS INC.

Address:26300 FARGO AVE

City:BEDFORD HEIGHTS

State:OH

ZIP:44146-1310

Country:US

Emergency Phone Num:216-292-7400

CAGE:IO713

=== Contractor Identification

===

Company Name:SHERWIN-WILLIAMS DIVERSIFIED BRANDS, INC.

Address:26300 FARGO AVENUE

Box:City:BEDFORD HEIGHTS

State:OH

ZIP:44146

Country:US

Phone:216-292-7400 OR 216-595-8634

CAGE:09800

Company Name:SPRAY-ON PRODUCTS

Address:26300 FARGO AVE

Box:City:BEDFORD HEIGHTS

State:OH

ZIP:44146

Country:US

Phone:216-292-7400

CAGE:IO713

=====  
Composition/Information on Ingredients  
=====

Ingred Name:TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: 28.5%

OSHA PEL:200 PPM

/150 STEL  
ACGIH TLV:50 PPM; 9293  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)  
CAS:1330-20-7  
RTECS #:ZE2100000  
Fraction by Wt: 17.5%  
OSHA PEL:100 PPM/150 STEL  
ACGIH TLV:100 PPM/150STEL;9192  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:TUNG OIL  
Fraction by Wt: 27.5%  
ACGIH TLV:5 MG/CUM(MIST)

Ingred Name:RESIN (P-PHENYL PHENOL-FORMALDEHYDE)  
Fraction by Wt: 22.5%

Ingred Name:FUNGICIDE (SALICYLANILIDE OR COPPER 8-QUINOLINOLATE)

=====  
===== Hazards Identification =====

Effects of Overexposure:HEADACHE,DIZZ,DROW, EYE IRRIT. SKIN IRRIT.

===== First Aid Measures =====

First Aid:FLUSH EYES W/LB QTY OF WATER FOR 15 MINUTES. GET MED ATTN.  
WASH SKIN W/SOAP&WATER. IF INHALED, RMV TO FRESH AIR.

===== Fire Fighting Measures =====

Flash Point:N/R (AEROSOL)  
Extinguishing Media:CO\*2  
Fire Fighting Procedures:COOL FIRE EXPOSED CANS W/WATER  
SPRAY. WEAR  
SCBA  
Unusual Fire/Explosion Hazard:AEROSOL CANS MAY BURST ABOVE 130F.

===== Accidental Release Measures =====

Spill Release Procedures:WIPE UP LEAKAGE & FLUSH WITH WATER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE BELOW 120F AWAY FM OPEN FLAME.  
DO NOT INHAL SPRAY. PROTECT FM PHYSICAL DAMAGE. DO NOT INCINERATE  
OR PUNCTURE CAN.  
Other Precautions:NONE

===== Exposure Cont

rols/Personal Protection =====

Respiratory Protection:NIOSH APPROVED PAINT RESP.  
Ventilation:MECHANICAL & LOCAL REQD.  
Protective Gloves:RUBBER  
Eye Protection:GOGGLES/FACE SHIELD  
Other Protective Equipment:PROTECTIVE WORK CLOTHING.  
Supplemental Safety and Health  
MSDS DATED 7/21/65.

===== Physical/Chemical Properties =====

HCC:V3  
Solubility in Water:SLIGHT  
Appearance and Odor:AEROSL CAN. SPRAY IS CLEAR W/AROMATIC ODOR.  
Percent Volatiles by Volume:50

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NONE SPECIFIED  
Stability Condition to Avoid:EXCESSIVE HEAT

===== Disposal Considerations =====

Waste Disposal Methods:DO NOT INCINERATE OR PUNCTURE PRESSURIZED CANS.  
DISPOSE I/A/W ALL LOCAL, STATE & FEDERAL REGULATIONS. EMPTY CANS  
MAY BE DISPOSED AS NON-HAZARDOUS MATL. PRESSURIZED CANS SHOULD BE  
DISPOSED OF BY LICENS ED DISPOSAL FACILITY.

Discla  
imer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.