View NSN Online: https://aerobasegroup.com/nsn/9150-00-664-0050

## LOCKREY CO -- LIQUI-MOLY BRAND NV GREASEG -- 9150-00-664-0050

========= Product Identification ============

Product ID:LIQUI-MOLY BRAND NV GREASEG

MSDS Date:01/10/1990

FSC:9150

NIIN:00-664-0050

MSDS Number: BFKHT
=== Responsible Party ===
Company Name:LOCKREY CO
Address:2517 FINLAW AVENUE

City:PENNSAUKEN

State:NJ

ZIP:08109-3243 Country:US

Info Phone Num:609-665-4794

Emergency Phone Num:609-665-4794

**CAGE:981** 

12

=== Contractor Identification === Company Name:LOCKREY CO Address:2517 FINLAW AVENUE

Box:City:PENNSAUKEN

State:NJ

ZIP:08109-3243 Country:US CAGE:98112

======= Composition/Information on Ingredients ========

Ingred Name: POLYALKANE GLYCOL

Ingred Name: MOLYBDENUM DISULFIDE

CAS:1317-33-5

RTECS #:QA4697000

OSHA PEL:10 MG/M3 TDUST (MO) ACGIH TLV:10 MG/M3 (MO); 8990

Ingred Name: ADDITIVES

Ingred Name: INGREDIENTS 2 & 3 TOTAL GREATER THAN 21%

RTECS #:9999999ZZ Fraction by Wt: >21%

Othe

r REC Limits: NONE RECOMMENDED Ingred Name: PROPRIETARY ADDITIVES MIXTURE RTECS #:9999999ZZ Fraction by Wt: >7% Other REC Limits: NONE RECOMMENDED Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:MFR SHOWS PRODUCT AS VERY NEARLY NON-TOXIC. Effects of Overexposure:INGESTED:MAY CAUSE NAUSEA. OTHER EXPOSURES:NONE KNOWN. Medical Cond Aggravated by Exposure: NONE \_\_\_\_\_ First Aid Measures ========== First Aid:EYE:FLUSH WITH WATER. SKIN:WASH WITH SOAP & WATER OR USE HAND CLEANER. INHALED:MFR SHOWS "NONE ANTICIPATED". REMOVE FROM EXPOSURE. INGESTED: "NO HARMFUL EFFECTS EXPECTED." SEE PHYSICIAN. Flash Point Method:COC Flash Point:492F,256C Autoignition Temp: Autoignition Temp Text:>835F Extinguishing Media: USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. Fire Fight ing Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. CONTAIN RUNOFF. Unusual Fire/Explosion Hazard: NONE NOTED BY MANUFACTURER. ======== Accidental Release Measures =========== Spill Release Procedures: ABSORB ON SUITABLE ABSORBANT. Neutralizing Agent:NONE ============= Handling and Storage ========================== Handling and Storage Precautions: KEEP CONTAL

## 

HCC:V6
Boiling Pt:B.P. Text:77.0F,25.0C
Vapor Pres:0.0001
Vapor Density: