

DOW CORNING CORPORATION -- DOW CORNING(R) 200 FLUID, 10 CST -- 9150-00-664-0111

=====  
Product Identification  
=====

Product ID:DOW CORNING(R) 200 FLUID, 10 CST

MSDS Date:01/01/1985

FSC:9150

NIIN:00-664-0111

MSDS Number: BFKHX

=== Responsible Party ===

Company Name:DOW CORNING CORPORATION

Emergency Phone Num:(517)496-5909

CAGE:5D028

=== Contractor Identification ===

Company Name:DOW CORNING CORP

Ad

dress:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

Company Name:DOW CORNING CORP

Address:2200 W SALZBURG RD

Box:City:AUBURN

State:MI

ZIP:48611

Country:US

Phone:517-496-4388

CAGE:71984

=====  
Composition/Information on Ingredients  
=====

Ingred Name:DIMETHYLPOLYSILOXANE

CAS:9016-00-6

RTECS #:TQ2690000

Fraction by Wt: 100%

=====  
Hazards Identification  
=====

Effects of Overexposure

xposure:MAY CAUSE TEMPORARY DISCOMFORT TO EYES.

=====  
First Aid Measures  
=====

First Aid:FLUSH WITH WATER

=====  
Fire Fighting Measures  
=====

Flash Point:>325F/163F (0.3)

Extinguishing Media:CO\*2 OR FOAM

Fire Fighting Procedures:SCBA & PROTECTIVE COLOTHINGS FOR FIRES WITH CHEMICAL

Unusual Fire/Explosion Hazard:NONE

=====  
Accidental Release Measures  
=====

Spill Release Procedures:USE ABSORBENT MATERIAL.USE SOLVENT IF NECESSARY.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:USE REASONABLE CARE & FOLLOW GOOD HYGIENE PRACTICE.

Other Precautions:AT ELEVATED TEMPERATURES THIS PRODUCT IS SENSITIVE TO CONTAMINATION.IN SUCH CONDITIONS,THE FLASH POINT & VISCOSITY MAY CHANGE & SHOULD BE REDETERMINED.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NONE SHOULD BE NEEDED  
Ventilation:

General-MECHANICAL RECOMMENDED

Protective Gloves:AS REQUIRED

Eye Protection:SAFETY GLASSES

Other Protective Equipment:AS REQUIRED

Supplemental Safety and Health

MSDS DATED 10/04/82. CONTAINER SIZE: 1 GAL.

=====  
Physical/Chemical Properties  
=====

HCC:V6

Boiling Pt:B.P. Text:>300F/149C

Vapor Pres: