

MALLINCKRODT INC.,SCIENCE PRODUCTS DIVISION -- FORMALDEHYDE -- 6505-00-664-0329

=====
Product Identification
=====

Product ID:FORMALDEHYDE

MSDS Date:01/20/1988

FSC:6505

NIIN:00-664-0329

MSDS Number: BFKJL

=== Responsible Party ===

Company Name:MALLINCKRODT INC.,SCIENCE PRODUCTS DIVISION

Address:PARIS BYPASS

Box:M

City:PARIS

State:KY

ZIP:40361

Info Phone Num:314-982-5000

Emergency Phone Num:314-98

2-5000

CAGE:62910

=== Contractor Identification ===

Company Name:MALLINCKRODT SPECIALTY CHEMICALS CO

Address:222 RED SCHOOL LANE

Box:City:PHILLIPSBURG

State:NJ

ZIP:08865

Country:US

Phone:908-859-2151

CAGE:62910

=====
Composition/Information on Ingredients
=====

Ingred Name:FORMALDEHYDE (SARA III)

CAS:50-00-0

RTECS #:LP8925000

Fraction by Wt: 37.0%

Other REC Limits:NONE

OSHA PEL:SEE 1910.1048

ACGIH TLV:C 0.3 PPM; A2; 9293

EPA Rpt Qty:100 LBS

DOT Rpt Qty:100 LBS

Ingred Name:M

ETHYL ALCOHOL (METHANOL) (SARA III)

CAS:67-56-1

RTECS #:PC1400000

Fraction by Wt: 10-15%

Other REC Limits:NONE

OSHA PEL:S,200PPM/250STEL

ACGIH TLV:S,200PPM/250STEL; 93

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:WATER, WT% BY DIFFERENCE

CAS:7732-18-5

RTECS #:ZC0110000

Fraction by Wt: 48-53%

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 ORAL RAT=800MG/KG

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES

Reports of Carcinogenicity:NT

P:YES IARC:YES OSHA:YES

Health Hazards Acute and Chronic:ACUTE:SEE SIGNS & SYMPTOMS OF
OVEREXPOSURE. CHRONIC:HYPERSENSITIVITY LEADING TO CONTACT
DERMATITIS,ALLERGIC REACTION,VISION IMPAIRMENT,ENLARGEMENT OF LIVER

Explanation of Carcinogenicity:FORMALDEHYDE IS A SUSPECTED HUMAN
CARCINOGEN.

Effects of Overexposure:EYES:IRRITATION,REDNESS,PAINS,BLURRED
VISION,IRREVERSIBLE EYE

DAMAGE;SKIN:REDNESS,PAIN,BURNS,DISCOLORATION,CRACKING,SCALING;SKIN
ABSORPTION:SAME SYMPTOMS AS

INGESTION;INHALATION:SORE

THROAT,COUGH,SHORTNESS OF BREATH,IRRITATION,SEVERE RESPIRATORY
TRACT INJURY LEADING TO PULMONARY EDEMA & PNEUMONITIS-SEE
SUPPLEMENTAL DAT

Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN
DISORDERS,EYE PROBLEMS,OR IMPAIRED LIVER,KIDNEY OR RESPIRATORY
FUNCTION.

===== First Aid Measures =====

First Aid:EYES:WASH WITH PLENTY OF WATER FOR 15 MINUTES.SEE DOCTOR
IMMEDIATELY;SKIN:FLUSH WITH PLEN

TY OF WATER FOR 15 MINUTES WHILE

REMOVING CONTAMINATED CLOTHING & SHOES;INHALATION:REMOVE TO FRESH AIR.GIVE CPR /OXYGEN IF NEEDED.SEE DOCTOR;INGESTION:GIVE 2 GLASSES OF WATER.INDUCE VOMIT.NOTHING BY MOUTH IF UNCONSCIOUS.SEE DOCTOR IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point:140F(60C)

Autoignition Temp:Autoignition Temp Text:572F

Lower Limits:7.0

Upper Limits:73

Extinguishing Media:WATER SPRAY CAN BE USED TO EXTINGUISH FIRES & COOL

FIRE EXPOSED CONTAINERS.

Fire Fighting Procedures:WEAR SCBA & PROTECTIVE CLOTHING. WATER MAY BE USED TO FLUSH SPILLS & TO DILUTE SPILLS TO NON-FLAMMABLE MIXTURES.

Unusual Fire/Explosion Hazard:ABOVE FLASH POINT,VAP-AIR MIXTURES ARE EXPLOSIVE WITHIN FLAMMABLE LIMITS; AUTO IGN TEMP:300C(572F)

===== Accidental Release Measures =====

Spill Release Procedures:WEAR SCBA & PROTECTIVE CLOTHING.REMOVE IGNITION SOURCES.VENTILATE.ABSORB IN INERT MATERIAL & PLACE IN APPROPRIATE DISPOSAL CONTAINER.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINERS CLOSED.PROTECT AGAINST PHYSICAL DAMAGE.OUTSIDE OR DETACHED STORAGE IS PREFERRED.INSIDE STORAGE SHOULD BE IN STD FLAMM.LIQ.STORAGE ROOM

Other Precautions:SEPARATE FROM OXIDIZING MATERIALS.STORAGE & USE AREAS SHOULD BE NO SMOKING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEA

R A SUPPLIED AIR,FULL-FACEPIECE

RESPIRATOR,AIRLINED HOOD,OR SCBA IF TLV IS EXCEEDED.

Ventilation:LOCAL EXHAUST TO MAINTN BELOW TLV.

Protective Gloves:IMPERVIOUS

Eye Protection:GOGGLES/FACE SHIELD

Other Protective Equipment:IMPERVIOUS PROTECTIVE CLOTHING,INCLUDING BOOTS,LAB COAT,APRON OR COVERALLS. SAFETY SHOWER & EYE WASH STATION.

Work Hygienic Practices:WASH HANDS,FACE,FOREARMS & NECK WHEN EXITING RESTRICTED AREAS-SEE SUPPLEMENTAL DATA.

Supplemental Safety and Health

CONT'D FROM

SIGNS & SYMPTOMS OF OVEREXPOSURE:MAY BE FATAL IN HIGH CONCENTRATIONS;INGESTION:SEVERE ABDOMINAL PAIN,VIOLENT VOMIT,HEADACHE,DIARRHEA.DECREASED BODY TEMPERATURE,PAIN IN DIGESTIVE TRACT,SHAL LOW RESPIRATION,WEAK IRREGULAR PULSE,UNCONSCIOUSNESS,DEATH.METHANOL COMPONENT AFFECTS OPTIC NERVE & MAY CAUSE BLINDNESS.

===== Physical/Chemical Properties =====

HCC:F4
Boiling Pt:B.P. Text:205F(96C)
Melt/Freeze Pt:M.P/F.P Text:5F(-15C)
Vapor Density:1.04
Spec
Gravity:1.08
Solubility in Water:COMPLETE
Appearance and Odor:CLEAR,COLORLESS LIQUID. PUNGENT ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
OXIDIZERS,ALKALIES,PERCHLORIC ACID,NITROGEN
DIOXIDE,NITROMETHANE,HYDROCHLORIC ACID.
Stability Condition to Avoid:HEAT, IGNITION SOURCES
Hazardous Decomposition Products:CO

===== Disposal Considerations =====

Waste Disposal Methods:COLLECT SPILLS &
ATOMIZE IN A RCRA-APPROVED
COMBUSTION CHAMBER.BEFORE ATOMIZING,DISSOLVE IN AN APPROPRIATE
COMBUSTIBLE SOLVENT.WASTE CAN BE DISPOSED IN A RCRA APPROVED
FACILITY.ENSURE COMPLIANCE W/LOC AL,STATE & FED REGS: CWA/CERCL
RQ:1000 LBS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this informat
ion to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.