

INLAND PACKAGING, INC. -- INNERBON 2010 FLUID, 5000 CST -- 9150-00-664-3829

=====
Product Identification
=====

Product ID:INNERBON 2010 FLUID, 5000 CST

MSDS Date:01/01/1987

FSC:9150

NIIN:00-664-3829

MSDS Number: BFKNG

=== Responsible Party ===

Company Name:INLAND PACKAGING, INC.

Emergency Phone Num:502-737-6757

CAGE:66172

=== Contractor Identification ===

Company Name:INLAND PACKAGING INC

Address

:209 PETERSON DR

Box:644

City:ELIZABETHTOWN

State:KY

ZIP:42701-9804

Country:US

Phone:502-737-6757

CAGE:66172

=====
Composition/Information on Ingredients
=====

Ingred Name:POLYDIMETHY SILOXANE

CAS:9016-00-6

RTECS #:TQ2690000

Fraction by Wt: 100%

=====
Hazards Identification
=====

Effects of Overexposure:EYES: DISCOMFORT/MILD IRRITATION; SKIN:
POSSIBLE IRRITATION ON REPEATED CONTACT; INGEST: LOW TOXIC.

=====
First Aid
=====

Measures =====

First Aid:EYE CONTACT: FLUSH W/LG AMT OF WATER FOR 15 MIN. GET MED
ATTN. SKIN CONTACT: WASH W/SOAP & WATER. INGEST: GET MED ATTN IF
NECESSARY.

=====
Fire Fighting Measures
=====

Flash Point:570F,299C TCC

Extinguishing Media:WATER FOG,FOAM,CO*2,DRY CHEMICAL

Fire Fighting Procedures:WEAR SCBA

Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedure

s:SWEEP/SCOPE UP MATL WITH VERMICULITE INTO A STEEL DRUM.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE IN TIGHTLY CLOSED CONTAINERS AT AMBIENT TEMP OF 40 TO 77 DEG F. STORE AWAY FM HEAT & MOISTURE. AVOID BREATHING ANY VAPOR.

Other Precautions:AVOID DIRECT/PROLONGED CONTACT W/SKIN & EYES. WASH THOROUGHLY AFTER HANDLING. DO NOT EAT, DRINK OR SMOKE IN WORK ROOM.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NIOSH/MSHA APPROVED RESP.

Ventilation:LOCAL RECOMMENDED AS REQD.

Protective Gloves:IMPERVIOUS

Eye Protection:CHEM SPLASH GOGGLES

Other Protective Equipment:SAFETY SHOWER & EYE BATH

Supplemental Safety and Health

MSDS DATED 6/28/82

=====
Physical/Chemical Properties
=====

HCC:V6

Spec Gravity:0.97

Solubility in Water:NEGLIGIBLE

Appearance and Odor:CLEAR, COLORLESS PASTE-LIKE POLYMER

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES

STRONG ACID AND BASES.

Stability Condition to Avoid:NONE SPECIFIED BY MFG. AVOID MOISTURE CONTACT.

Hazardous Decomposition Products:OXIDES OF CARBON & SILICA MAY BE EMITTED FROM COMBUSTION

=====
Disposal Considerations
=====

Waste Disposal Methods:DISPOSE I/A/W ALL LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agency)

es):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.