

AMERON INDUSTRIAL COATINGS DIVISION -- 787-719 -- 8010-00-664-5413  
===== Product Identification =====

Product ID:787-719  
MSDS Date:01/01/1987  
FSC:8010  
NIIN:00-664-5413  
MSDS Number: BFKPZ  
=== Responsible Party ===  
Company Name:AMERON INDUSTRIAL COATINGS DIVISION  
Address:201 N BERRY ST  
City:BREA  
State:CA  
ZIP:92621-3904  
Country:US  
Info Phone Num:714-529-4597  
Emergency Phone Num:714-529-4597  
CAGE:098  
69

=== Contractor Identification ===  
Company Name:AMERON INDUSTRIAL COATINGS DIVISION  
Address:201 N BERRY ST  
Box:City:BREA  
State:CA  
ZIP:92621-3904  
Country:US  
Phone:714-529-4597  
CAGE:09869

===== Composition/Information on Ingredients =====

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)  
CAS:1330-20-7  
RTECS #:ZE2100000  
Fraction by Wt: 3-13%  
OSHA PEL:100 PPM/150 STEL  
ACGIH TLV:100 PPM/150STEL;9192  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:ISOBUTYL ACETATE (SARA I

II)  
CAS:110-19-0  
RTECS #:AI4025000  
Fraction by Wt: 19%  
OSHA PEL:150 PPM  
ACGIH TLV:150 PPM; 9192  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:TOLUENE (SARA III)  
CAS:108-88-3  
RTECS #:XS5250000  
Fraction by Wt: 15%  
OSHA PEL:200 PPM/150 STEL  
ACGIH TLV:50 PPM; 9293  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:ISOPROPYL ALCOHOL (SARA III)  
CAS:67-63-0  
RTECS #:NT8050000  
Fraction by Wt: 1-11%  
OSHA PEL:400 PPM/500 STEL  
ACGIH TLV:400 PPM/500STEL;9192

Ingred Name:ISOBUTYL ALCOHOL (SAR  
A III)  
CAS:78-83-1  
RTECS #:NP9625000  
Fraction by Wt: AIR  
Evaporation Rate & Reference:SLOWER THAN ETHER  
Percent Volatiles by Volume:86

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
Stability Condition to Avoid:AVOID FIRES, HEAT AND HOT SURFACES

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH LOCAL, STATE AND  
FEDERAL REGULATIONS. INCINERATE IN APPROVED

FACILITY. DO NOT  
INCINERATE CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.