

TRIRAM CORP -- PR-50-AF,TT-C-498B, COATING COMPOUND -- 8030-00-664-7042

=====  
Product Identification  
=====

Product ID:PR-50-AF,TT-C-498B, COATING COMPOUND

MSDS Date:01/01/1985

FSC:8030

NIIN:00-664-7042

MSDS Number: BFKRW

=== Responsible Party ===

Company Name:TRIRAM CORP

Emergency Phone Num:(617) 875-6600

CAGE:59983

=== Contractor Identification ===

Company Name:TRIRAM CORP

Address:721 WAVERLY ST

Box:642

City:FRAMINGHAM

State:MA

ZIP:01701-8512

Country:US

CAGE:59983

=====  
Composition/Information on Ingredients  
=====

Ingred Name:NAPHTHA (PETROLEUM SPIRITS OR BENZIN)

CAS:8030-30-6

RTECS #:SE7555000

OSHA PEL:100 PPM

Ingred Name:ALUMINUM PIGMET PERCENT IS APPX

Fraction by Wt: 11%.

=====  
Hazards Identification  
=====

Effects of Overexposure:MFR STATES SAME AS ANY PETROLEUM DERIVATIVE

=====  
First Aid Measures  
=====

=====  
First Aid:EYE: IMMEDIATELY FLUSH W/WATER AT LEAST 15 MIN. CALL MD.  
SKIN: WASH THOROUGHLY AFTER HANDLING

=====  
Fire Fighting Measures

Flash Point:124F COC  
Extinguishing Media:CO\*2, FOAM, SAND  
Fire Fighting Procedures:SIMILAR TO OTHER PETROLEUM PRODUCTS  
Unusual Fire/Explosion Hazard:NONE-SIMILAR TO OTHER PETROLEUM PRODUCTS

=====  
Accidental Release Measures

Spill Release Procedures:DRY W/NORMAL GARA  
GE FLOOR CLEANER, I E SPEEDY  
OIL DRY. MFR SUGGESTS USING MINERAL SPIRITS OR KEROSENE ON DRIED  
MATL TAKING PRECAUTIONS AGAINST FIRE & INH HAZ.

=====  
Handling and Storage

Handling and Storage Precautions:AVOID EXCESSIVE HEAT OR MOISTURE

=====  
Exposure Controls/Personal Protection

Respiratory Protection:NIOSH/MSHA APPRVD RESP PROT IF NEC  
Ventilation:LOCAL EXHST, YES  
Protective Gloves:IF NEC  
Eye Protection:GOGGLES IF NEC  
Ot  
her Protective Equipment:AS REQ  
Supplemental Safety and Health  
MFR'S ADDRESS: TRITAM CORP, 721 WAVERY ST, FRAMINGHAM, MA 01701

=====  
Physical/Chemical Properties

HCC:F4  
NRC/State Lic Num:NA  
Boiling Pt:B.P. Text:313F  
Spec Gravity:1.04  
Evaporation Rate & Reference:0.06  
Appearance and Odor:SILVER COLOR, ODOR SIMILAR TO MINERAL SPIRITS

=====  
Stability and Reactivity Data

Stability Indicator/Materials to Avoid:YES  
WATER  
Stabili

ty Condition to Avoid:EXCESSIVE HEAT  
Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IAW LOCAL, STATE, FED REG

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.