View NSN Online: https://aerobasegroup.com/nsn/6850-00-664-9067

Product ID:BLUE LAYOUT FLUID MSDS Date:01/01/1985 FSC:6850 NIIN:00-664-9067 **MSDS Number: BFKVH** === Responsible Party === Company Name: CHEMICAL COMMODITIES AGENCY, INC. Address:27447 PACIFIC STREET City:HIGHLAND State:CA ZIP:92346-2640 Country:US Info Phone Num:714-864-2310 **Emergency Phone N** um:714-864-2310 CAGE:60777 === Contractor Identification === Company Name: CHEMICAL COMMODITIES AGENCY, INC. Address:27447 PACIFIC STREET Box:City:HIGHLAND State:CA ZIP:92346-2640 Country:US Phone:909-864-2310 CAGE:60777

Ingred Name:NITROCELLOLOSE LACQUER (SEE SUPP.DATA FOR REST OF INGREDIENTS AS NON VOLATILE) Fraction by Wt: 9.13%

Ingred Name:ISOPROPYL ALCOHOL (SARA III) CAS:67-63-0 RTECS #:NT8050000 Fraction by Wt: 40. 9% OSHA PEL:400 PPM/500 STEL ACGIH TLV:400 PPM/500STEL;9192

Ingred Name:N-BUTYL ACETATE (SARA III) CAS:123-86-4 RTECS #:AF7350000 Fraction by Wt: 31.0% OSHA PEL:150 PPM/200 STEL ACGIH TLV:150 PPM/200STEL;9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III) CAS:1330-20-7 RTECS #:ZE2100000 Fraction by Wt: 12.5% OSHA PEL:100 PPM/150 STEL ACGIH TLV:100 PPM/150STEL;9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:DYE Fraction by Wt: 0.27%

===

Effects of Overexposure: IRRITANT TO EYES, NOS, THROAT. MAY CAUSE HEADACHE, DIZZINESS, SLEEPINESS & NAUSEA ON PROLONGED EXPOSURE.

First Aid:PROVIDE FRESH AIR & REST.SKIN:MAY DEFAT SKIN.USE SOAP &WATER,EMOLLIENT CREAM OR LOTION.EYE CONTACT:WASH WITH GENTLE STRAM OF WATER FOR 5 MIN.SEE A DOCTOR IMMEDIATELY.

Flash Point:>68F (T.C.C.) Lower Limits:UNKN Upper Limits:UNKN Extinguishing Media:WATER SPRAY,CO*2 FOAM,DRY CHEMICAL. Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard:CONCENTRATED VAPORS MAY BE EXPLOSIVE.

Spill Release Procedures: AVOID SPARKS OR OPEN FLAMES. PROVIDE ADEQUATE VENTILATION. WIPE SPILLAGE & SAFETYL DISCARD ABSORBENT MATERIALS.LARGE SPILLS SHOULD BE DIKED & PUMPED INTO WASTE

TANK.
======================================
Handling and Storage Precautions:HANDLE AS A FLAMMABLE LIQUID.DO NOT STORE NEAR OPEN FLAMES NOR COMBUSTION CHAMBERS. Other Precautions:NONE SPECIFIED.
======================================
Respiratory Protection:USE AIRLINE RESPIRATORS OR NIOSH/MSHA RESPIRATORS FOR ORGINIC VAPORS Ventilation:LOCAL EXHAUST REQUIRED.ALSO USE EXPLOSION-PROOF EQUIPMENT. Protective Gloves:RECOMMENDED Ey
e Protection:SPLASH-PROOF GOGGLES Other Protective Equipment:IMPERVIOUS APRON.EYEWASH FACILITY. Supplemental Safety and Health
MSDS IS UNDATED.(NON-VOLATILE:DOP 1.92% & PHTHALIC ALKYD 4.17%) PER MFRN.V=15.22%, SOLVENT:84.51% DYE:0.27%
======================================
HCC:F2 Vapor Pres:UNK Vapor Density:UNKN Spec Gravity:0.8020 Evaporation Rate & amp; Reference:NOT DETERMINED Solubility in Water:INSOLUBLE Appearance and Odor:TRANSPARENT BLUE W/BENZOL-LIKE ODOR. Percent Volatiles by Volume:92.8
======================================
Stability Indicator/Materials to Avoid:YES NOT SPECIFIED Stability Condition to Avoid:AVOID STRONG OXIDIZING AGENTS. Hazardous Decomposition Products:ON BURNING WILL PRODUCE CO CO*2 & ACRID FUMES.
======================================
Waste Disposal Methods:CONSULT WITH LOCAL,STATE AND/OR FEDERAL SOLID WASTE REGULATIONS FOR PROPER AND SAFE DISPOSAL.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situa tion.