

STAUFFER CHEMICAL COMPANY -- STAUFFER JET II -- 9150-00-681-5999
===== Product Identification =====

Product ID:STAUFFER JET II
MSDS Date:01/01/1987
FSC:9150
NIIN:00-681-5999
MSDS Number: BFLJJ
=== Responsible Party ===
Company Name:STAUFFER CHEMICAL COMPANY
Emergency Phone Num:203-226-6602
CAGE:8F554
=== Contractor Identification ===
Company Name:STAUFFER CHEMICAL CO SPECIALTY CHEMICAL DIVISION
A
Address:NYALA FARMS RD
Box:City:WESTPORT
State:CT
ZIP:06880
Country:US
Phone:203-226-6602/CHEMTREC 800-424-9300
CAGE:8F554

===== Composition/Information on Ingredients =====

Ingred Name:PE-TMP FATTY ACID ESTER MIXTURE
Fraction by Wt: 100%

===== Hazards Identification =====

Effects of Overexposure:INGEST:LG QTY CAUSES GI TRACT
IRRIT,VOMIT,DIARRHEA;MIST MAY CAUSE RESP IRRIT;SKIN/EYES:TEMP
DISCMFRT

===== First Aid Measures =====

First Aid:SKIN:WASH W.SOAP & H*2O EYES:FLUSH W. H*2O. INGESTED:GIVE 2
GLASSES H*2O; INDUCE VOMITING.CALL A PHYSICIAN. INHALE:REMOVE TO
FRESH AIR. GIVE CPR/OXYGEN IF NEED. KEEP WARM & QUIET. REMOVE
CONTAMINATED CLOTHING. IF UNCONS DO NOT TAKE ANYTHING BY MOUTH.

===== Fire Fighting Measures =====

Flash Point:490F/225C (COC)
Extinguishing Media:CO*2, FOAM, DRY CHEM & H*2O FOG.
Fire Fighting Procedures:WEAR SELF-CNTD B

RTHG,APP H*20 SPRAY TO COOL
CONTR.

Unusual Fire/Explosion Hazard:MAY IGNITE BY HEAT,SPARK,FLAME,AIR
EXPOSURE;MAY REIGNITE,CONTACT W H*20 PRODUCES FLAMM GAS.

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE IGNITION SOURCES. STOP LEAK.
EVACUATE AREA.DO NOT TOUCH SPILLAGE. SM SPILL:ABSORB W. INERT
ABSORBENT. PLACE IN CLOSED CONTAINER. FLUSH AREA W. WATER. LG
SPILL: DIKE AHEAD FOR LATER DISPOSAL. NOTIFY AUTHORITIES.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED
AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP
CONTAINERS TIGHTLY CLOSED
Other Precautions:AVOID PROLONGED & REPEATED CONTACT WITH SKIN. WASH
HANDS & AFFECTED AREA W/SOAP & WATER. LAUNDER CONTAMINATED CLOTHES
BEFORE REUSE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SHOULD BE N
EEDED
Ventilation:NORMAL ROOM VENTILATION.
Protective Gloves:RUBBER
Eye Protection:CHEM SPLASH GOGGLES
Other Protective Equipment:SAFETY SHOWER & EYE BATH
Supplemental Safety and Health
MSDS FM STAUFFER CHEM NOT DATED.SPEC REF:MIL-L-23699C

===== Physical/Chemical Properties =====

HCC:V6
Spec Gravity:0.988
Solubility in Water:NEGLIGIBLE
Appearance and Odor:LIQUID WITH FATTY ESTER ODOR

===== Stability and Reactivity Data =====

Stability Ind

icator/Materials to Avoid: YES

NONE

Stability Condition to Avoid: HEAT, IGNITION SOURCES

Hazardous Decomposition Products: INCOMPLETELY BURNED CARBON PRODUCTS,
CO₂, CO.

===== Disposal Considerations =====

Waste Disposal Methods: KEEP IN COVERED DRUMS, PENDING DISPOSAL. HANDLE &
DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE
INTERNATIONAL, FEDERAL, STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This inf

ormation is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.