

OCTAGON PROCESS INC. -- MIL-L26087B AM I GRADE I;LUBE OIL -- 9150-00-682-6771
===== Product Identification =====

Product ID:MIL-L26087B AM I GRADE I;LUBE OIL

MSDS Date:09/19/1991

FSC:9150

NIIN:00-682-6771

MSDS Number: BFLLR

=== Responsible Party ===

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

City:EDGEWATER

State:NJ

ZIP:07020-1105

Country:US

Info Phone Num:201-945-9400

Emergency Phon

e Num:201-945-9400

CAGE:82925

=== Contractor Identification ===

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

Box:City:EDGEWATER

State:NJ

ZIP:07020

Country:US

Phone:201-945-9400

CAGE:82925

===== Composition/Information on Ingredients =====

Ingred Name:NAPHTHENIC MINERAL OIL

Other REC Limits:5MG/CUM,OIL MIST

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO

IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE-MAY CAUSE IRRITATION. SKIN-MAY CAUSE CONTACT DERMATITIS. INHALE-MAY CAUSE RESPIRATORY TRACT IRRITATION. INGEST-MAY CAUSE GASTROINTESTINAL TRACT IRRITATION. MINUTE AMOUNTS ASPIRATED INTO LUNGS DURING INGESTION OR VOMITING MAY CAUSE MILD TO SEVERE PULMONARY INJURY AND POSSIBLY DEATH.

Explanation of Carcinogenicity:THIS PRODUCT CONTAINS NO CARCINOGENS.

Effects of Overexposure:EYE-REDNESS, TEARING. SKIN-REDNESS AND DRYING

O

F SKIN.

Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN OR RESPIRATORY AILMENTS MAY BE AGGRAVATED.

=====
===== First Aid Measures =====

First Aid:EYE-FLOOD WITH WATER FOR 15 MINUTES. SKIN-WASH AREA WITH WATER AND MILD SOAP. IF EYE AND SKIN IRRITATION PERSISTS, GET MEDICAL ATTENTION. INHALE-MOVE TO FRESH AIR. WHEN REQUIRED, ASSIST WITH VENTILATIONS (CPR), GET IMMEDIATE MEDICAL ATTENTION. INGEST-DO NOT INDUCE VOMITING. KEEP QUIET. GET IMMEDIATE MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:385F/196C

Lower Limits:0.9

Upper Limits:7.0

Extinguishing Media:USE WATER FOG OR SPRAY, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. IF LEAK OR SPILL HAS NOT IGNITED, USE WATER SPRAY TO DISPERSE VAPORS.

Unusual Fire/Explosion Hazard:INCOMPLETE COMBUSTION WILL RELEASE FUMES, SMOKE,

AND CARBON MONOXIDE, ALDEHYDES AND OTHER DECOMPOSITION PRODUCTS.

=====
===== Accidental Release Measures =====

Spill Release Procedures:DIKE & CONTAIN SPILL. RECOVER FREE LIQUID IF POSSIBLE. ABSORB RESIDUAL PRODUCT WITH INERT MATERIAL & PLACE IN PROPER CONTAINER FOR DISPOSAL. DO NOT LET SPILL ENTER DRAINS, SEWERS OR WATERWAYS. COMPLY WITH ALL SPILL NOTIFICATION REQUIREMENTS.

=====
===== Handling and Storage =====

Handling and

Storage Precautions:STORE IN A COOL, DRY PLACE. KEEP
CONTAINER CLOSED WHEN NOT IN USE.

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF EXPOSURE MAY OR DOES EXCEED PEL, USE A NIOSH
APPROVED RESPIRATOR (REFER TO 29CFR 1910.134).

Ventilation:LOCAL OR GENERAL TO MAINTAIN ADEQUATE VENTILATION

Protective Gloves:OIL RESISTANT (REFER TO 29CFR 1910.132).

Eye Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES.

Other Protective

Equipment:PROVIDE LOCAL EMERGENCY SHOWER AND EYE WASH
STATION.

Work Hygienic Practices:WASH HANDS AND FACE AFTER HANDLING PRODUCT.
LAUNDER CONTAMINATED CLOTHING BEFORE RE-USE. DISCARD OIL SOAKED
SHOES.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:610F/321C

Vapor Pres:5.0

Spec Gravity:0.93

Evaporation Rate & Reference: