

CHEVRON CHEMICAL COMPANY -- CHEVRON AUTOMATIC TRANSM.FL.(DEXRON II) --  
9150-00-698-2382

===== Product Identification =====

Product ID:CHEVRON AUTOMATIC TRANSM.FL.(DEXRON II)

MSDS Date:01/01/1987

FSC:9150

NIIN:00-698-2382

MSDS Number: BFLXD

=== Responsible Party ===

Company Name:CHEVRON CHEMICAL COMPANY

Address:63149 COLUMBIA RIVER HWY

Box:810

City:SAINT HELENS

State:OR

ZIP:97051

Country:US

Info P

hone Num:503-397-6947/503-397-2225

Emergency Phone Num:(415)233-3737

CAGE:0ACV2

=== Contractor Identification ===

Company Name:CHEVRON CHEMICAL CO DIV OF CHEVRON USA INC

Address:63149 COLUMBIA RIVER HWY

Box:810

City:ST. HELENS

State:OR

ZIP:97051

Country:US

Phone:503-397-6947/503-397-2225

CAGE:0ACV2

Company Name:CHEVRON ENVIRONMENTAL HEALTH CENTER INC

Address:15299 SAN PABLO AVE

Box:4054

City:RICHMOND

State:CA

ZIP:94804

Country:US

Phone:800-582-3835

CAGE:0AHD1

===== Composition/Informat

ion on Ingredients =====

Ingred Name:HIGHLY REFINED BASE OILS (TLV AS OIL MIST)

> Wt:85.

ACGIH TLV:5MG/CUM(OILMIST)

Ingred Name:ADDITIVES (INHIBITORS,EXTREME PRESSURE AGENT&ZINC

DIALKYLDITHIOPHOSPHATE(CAS#68649-42-3)

> Wt:15.

ACGIH TLV:NOT SPECIFIED

===== Hazards Identification =====

Effects of Overexposure:EYES:MILD IRRITATION;MILD

IRRIT/DEFAT;INHAL:RESPIRATORY IRRITAT/DISCOMFORT;INGEST:NO ACUTE SYSTEMIC

===== F

irst Aid Measures =====

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O\*2 IF

NEED;EYES/SKIN:FLUSH W LG AMTS H\*2O FOR 15 MIN;INGEST:RINSE MOUTH; GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER SYMPTOMS OF OVEREXPOSURE.

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:=160.C, 320.F

Extinguishing Media:CO\*2, DRY CHEMICAL, FOAM, WATERFOG

Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA WITH FUL

L

PROTECTION.

Unusual Fire/Explosion Hazard:DO NOT WELD,HEAT,OR DRILL

CONTAINER.RESIDUE MAY IGNITE WITH EXPLOSIVE VIOLENCE IF HEATED SUFFIENTLY

===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;STOP THE SOURCE

OF THE LEAK OR RELEASE.USE ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COO

L, DRY AND WELL VENTILATED

AREA. KEEP AWAY FROM HEAT AND OPEN FLAMES. KEEP CONTAINER CLOSED WHEN NOT IN USE.

Other Precautions: AVOID CONTACT WITH SKIN AND EYES; DO NOT BREATHE VAPORS/MIST. DO NOT USE PRESSURE TO EMPTY DRUM OR EXPLOSION MAY RESULT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: USE NIOSH/MSHA APPROVED SCBA IN CONFINED AREA OR RESPIRATOR ORG. VAPR

Ventilation: MECH(GEN) OR LOCAL EXHAUST THAT PROVIDES ADEQUATE VENTILATION

N

Protective Gloves: IMPERVIOUS

Eye Protection: SAFETY/CHEM GOGGLES

Other Protective Equipment: FULL PROTECTIVE CLOTHING, SAFETY SHOWER, EYE WASH STATION

Supplemental Safety and Health

MSDS REVISED DATE 12/03/85

===== Physical/Chemical Properties =====

HCC: V6

Spec Gravity: 0.89

Solubility in Water: NEGLIGIBLE

Appearance and Odor: RED LIQUID

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING MATERIALS

MATERIALS

Stability Condition to Avoid: HEAT, LIGHT, OPEN FLAME

Hazardous Decomposition Products: COMBUSTION; CO, CO<sup>2</sup>, OXIDES OF SULFUR, N, P, ETC.

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States

of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.