View NSN Online: https://aerobasegroup.com/nsn/6850-00-702-4297

GENERAL ELECTRIC CO., SILICONE PRODUCT DIV. -- G697, DIMETHYLPOLYSILOXANE 6850-00-702-4297

Product ID:G697, DIMETHYLPOLYSILOXANE MSDS Date:10/21/1985 FSC:6850 NIIN:00-702-4297 MSDS Number: BFLYD === Responsible Party === Company Name: GENERAL ELECTRIC CO., SILICONE PRODUCT DIV. Address: HUDSON RIVER ROAD City:WATERFORD State:NY ZIP:12188 Country:US **Emergency Phon** e Num:518-237-3330 CAGE:01139 === Contractor Identification === Company Name: GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT Address:260 HUDSON RIVER RD Box:City:WATERFORD State:NY ZIP:12188 Country:US Phone:518-237-3330/800-332-3390 CAGE:01139 Company Name: PHIPPS PRODUCTS CORP Address:186 LINCOLN ST SUITE 502 Box:City:BOSTON State:MA ZIP:02111-2403 Country:US Phone:OUT OF BUSINESS CAGE:86511

Ingred Name: DIMETHYLPOLYSILO

XANE CAS:9016-00-6 RTECS #:TQ2690000 Fraction by Wt: >95% ACGIH TLV:NOT SPECIFIED Ingred Name:NAPHTA (PETROLEUM SPIRITS OR BENZIN) CAS:8030-30-6 RTECS #:DE3030000 Fraction by Wt: 500F/260C TOC Extinguishing Media: EXTINQUISH W. AGENT SUITABLE FOR SURROUNDING FIRE. Fire Fighting Procedures: MOVE CONTAINERS W/O RISK. WEAR SCBA, PROTECTIVE CLOTHING. **Unusual Fire/Explosion Hazard:NONE** Spill Release Procedures: WIPE OR SCRAP UP A ND PLACE IN CONTAINER FOR DISPOSAL.WASH WALKING SURFACES WITH DETERGENT AND WATER TO REDUCE SLIPPING HAZARD. Handling and Storage Precautions: STORE IN COOL, DRY, WELL VENTILATED, LOW FIRE RISK AREA. PROTECT FROM PHYSICAL DAMAGE.KEEP CONTAINERS CLOSED. MAINTAIN STANDARD HYGIENE FOR CHEM HANDLING Other Precautions: AVOID CONTACT WITH SKIN AND EYES. USE EYE WASH IF NEEDED. ======== Exposure Controls/Persona | Protection ========= Respiratory Protection: NO SPECIAL REQMNTS UNDER ORDINARY CONDITIONS/ADEQUATE VENT. Ventilation:NORMAL ROOM VENTILATION. Protective Gloves: IMPERVIOUS Eye Protection:SAFETY GLASSES Other Protective Equipment:NORMAL WORK CLOTHING COVERING ARMS & LEGS. Supplemental Safety and Health MSDS DATED 10/21/85

HCC:N1 Vapor Pres:NEG Vapor Density:NEGL Spec Gravity:1.032 Evaporation Rate & amp; Reference:NEG L Solubility in Water:NEGLIGIBLE Appearance and Odor:PASTE OR SOLID,SLIGHT ODOR, OFF-WHITE Percent Volatiles by Volume:1.0

Stability Indicator/Materials to Avoid:YES NONE Stability Condition to Avoid:HIGH TEMPERATURES,IGNITION SOURCES Hazardous Decomposition Products:CO, CO*2,S10*2,ZINC METAL FUMES.

Waste Disposal Methods:MATERIALL NOT REGULATED PER 40CFR PA RT

261.DISPOSE IN ACCORDANCE WITH APPLICABLE STATE, LOCAL & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and a

ssume responsibility for the suitability of this information to their particular situation.