

AMETEK INC HAVEG DIV -- HAVEG 41-NF CEMENT -- 9330-00-724-3251

=====  
Product Identification  
=====

Product ID:HAVEG 41-NF CEMENT

MSDS Date:02/01/1989

FSC:9330

NIIN:00-724-3251

MSDS Number: BFMMW

=== Responsible Party ===

Company Name:AMETEK INC HAVEG DIV

Address:900 GREENBANK RD

City:WILMINGTON

State:DE

ZIP:19808-5906

Country:US

Info Phone Num:302-995-0400

Emergency Phone Num:302-995-0496

CAGE:032

00

=== Contractor Identification ===

Company Name:AMETEK INC HAVEG DIV

Address:900 GREENBANK RD

Box:City:WILMINGTON

State:DE

ZIP:19808-5906

Country:US

Phone:302-995-0400

CAGE:03200

=====  
Composition/Information on Ingredients  
=====

Ingred Name:TALC (CONTAINING NO ASBESTOS)

CAS:14807-96-6

RTECS #:WW2710000

Other REC Limits:NONE RECOMMENDED

OSHA PEL:2 MG/M3 RDUST

ACGIH TLV:2 MG/M3 RDUST; 9293

Ingred Name:FIBERGLASS

Other REC Limits:NONE RECOMMENDED

Ingred Name:SILICON DIOXIDE

(AMORPHOUS)

CAS:67762-90-7

Other REC Limits:NONE RECOMMENDED

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: EXCESSIVE CONTACT WITH SKIN MAY  
RESULT IN DERMATITIS IN SOME INDIVIDUALS.

Effects of Overexposure:MILD IRRITATION OR REDNESS OF THE SKIN MAY  
OCCUR.

Medical Cond Aggravated by Exposure:NONE KNOWN.

=====

=====  
===== First Aid Measures =====

First Aid:WASH OFF SKIN WITH MILD SOAP AND WATER. FOR EYES, FLUSH WITH  
COPIOUS QUANTITIES OF WATER. SEEK MEDICAL ATTENTION IF NEEDED.

=====  
===== Fire Fighting Measures =====

Extinguishing Media:USE CARBON DIOXIDE OR DRY CHEMICAL FOR SMALL FIRES.  
USE FOAM FOR LARGE FIRES. WATER IN A FINE SPRAY CAN BE USED.

Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS AND  
PROTECTIVE CLOTHING SHOULD BE  
AVAILABLE FOR FIREMEN.

Unusual Fire/Explosion Hazard:NONE KNOWN.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:SCOOP UP SPILLED MATERIA OR CONTAIN WITH  
ABSORBENT COMPOUND. DO NOT ALLOW SPILLED MATERIAL TO ENTER A  
WATERWAY AS PHENOLIC RESIN MAY BE LEACHED OUT.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:USE RUBBER GLOVES AND SAFETY  
GLASSES

WHEN HANDLING CEMENT AND HARDENER. STORE CEMENT IN CLOSED  
CONTAINERS.

Other Precautions:WHEN PREPARING SURFACES OF OLD HAVEG 41 EQUIPMENT,  
WHICH CONTAIN ASBESTOS, REFER TO OSHA ASBESTOS STANDARD 29 CFR  
1910.1001 FOR PROPER COMPLIANCE.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE

Ventilation:MECHANICAL VENTILATION PREFERRED.

Protective Gloves:RUBBER

Eye Protection:SAFETY GLASSES WITH SIDE SHIELDS.

Other Protective Equip

ment:ACID-RESISTANT CLOTHING RECOMMENDED.

Work Hygienic Practices:GOOD PERSONAL HYGIENE METHODS RECOMMENDED.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC:N1

Spec Gravity:1.73

Solubility in Water:NEGLIGIBLE

Appearance and Odor:BROWN COLORED, PUTTY-LIKE MATEIAL WITH  
CHARACTERISTIC PHENOLIC RESIN ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG MINERAL A

CIDS.

Stability Condition to Avoid:NONE KNOWN.

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE AND  
PHENOL.

Conditions to Avoid Polymerization:DO NOT USE AN EXCESSIVE AMOUNT OF  
HARDENER, OTHERWISE RAPID POLYMERIZATION WILL OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:SMALL AMOUNTS OF THE UNCATALYZED CEMENT MAY BE  
CURED IN AN OVEN AT 250F., THEN BURIED IN A LANDFILL IN ACCORDANCE  
WITH FEDERAL, STATE AND LOCAL R  
EGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
parti  
cular situation.