

GROW CHEMICAL SEALANTS CORPORATION -- GC 408,POLYSULFIDE,A-1/2 -- 8030-00-753-4596

=====
Product Identification
=====

Product ID:GC 408,POLYSULFIDE,A-1/2

MSDS Date:01/01/1987

FSC:8030

NIIN:00-753-4596

MSDS Number: BFMYZ

=== Responsible Party ===

Company Name:GROW CHEMICAL SEALANTS CORPORATION

Emergency Phone Num:213-269-0461

CAGE:LO702

=== Contractor Identification ===

Company Name:GOAL CHEMICAL

SEALANTS CORP

Address:3137 E 26TH ST

Box:City:LOS ANGELES

State:CA

ZIP:90023-4206

Country:US

Phone:213-269-0461

CAGE:04011

Company Name:GROW CHEMICAL SEALANTS CORP

CAGE:LO702

=====
Composition/Information on Ingredients
=====

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)

CAS:1317-65-3

RTECS #:EV9580000

Fraction by Wt: 31.2%

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9192

Ingred Name:POLYSULFIDE

Fraction by Wt: 56.2%

Ingred Name:TOLUENE (SARA III)

CAS:108-88-3

R

TECS #:XS5250000
Fraction by Wt: 12.6%
OSHA PEL:200 PPM/150 STEL
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:THIRAM (SARA III)
CAS:137-26-8
RTECS #:JO1400000
Fraction by Wt: 0.2%
OSHA PEL:5 MG/M3
ACGIH TLV:1 MG/M3; 9192
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

Ingred Name:MANGANESE DIOXIDE (AS MANGANESE)
CAS:1313-13-9
RTECS #:OP0350000
OSHA PEL:C,5 MG/M3/1 FUME TWA
ACGIH TLV:5 MG/M3 DUST/1 FUME

=====
Hazards Identification
=====

Effects of Overexposure:MAY CAUSE SKIN OR EYE IRRITATION UPON CONTACT.

=====
First Aid Measures
=====

First Aid:EYE:IMMEDIATELY FLUSH W/WATER FOR 15 MIN. CALL DR. SKIN:FLUSH WELL W/WATER.INGEST: GIVE EMETIC.CALL DR.

=====
Fire Fighting Measures
=====

Flash Point:170F 0C
Extinguishing Media:CO*2, H*2O,ETC
Fire Fighting Procedures:NO SPECIAL PROCEDURES
Unusual Fire/Explosion Hazard:NO UNUSUAL HAZARDS

=====

=== Accidental Release Measures =====

Spill Release Procedures:SCRAPE UP & CLEAN W/KETONES OR TOLUENE

===== Handling and Storage =====

Handling and Storage Precautions:WASH HANDS THOROUGHLY AFTER HANDLING.
DO NOT INGEST. STORE INDOORS BELOW 80 F.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED
Ventilation:LOCAL EXHAUST SUFFICIENT
Protective Gloves:RECOMMENDED
Eye Protection:RECOMMENDED
Supplemental Safety and Health
% VOLATILE BY VOLUME: < 0.2.

===== Physical/Chemical Properties =====

HCC:V4
Spec Gravity:1.5
Solubility in Water:NEGLIGIBLE
Appearance and Odor:OFF WHITE TO GRAY SEMI-SOLID

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG BASES AND OXIDIZING AGENTS
Stability Condition to Avoid:STORE BELOW 80 F

===== Disposal Considerations =====

Waste Disposal Methods:NORMAL NON-HAZARDOUS TRASH DISPOSAL IS
RECOMMENDED BY MANUFACTURER.DISPOSE IN ACCORDANCE W/LOCAL,STATE, &
FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing th

is

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.