View NSN Online: https://aerobasegroup.com/nsn/9150-00-753-4667

Product ID:BRACO 885 MSDS Date:10/22/1985 FSC:9150 NIIN:00-753-4667 MSDS Number: BFNBP === Responsible Party === Company Name: CASTROL INC., BRAY PRODUCTS DIV. Address:16715 VON KARMAN AVE., SUITE 202 City:IRVINE State:CA ZIP:92714 Info Phone Num:714-600-9414 Emergency Phone Num:714-600-9414 Preparer' s Name: MICHAEL P. SHEEHAN CAGE:EO288 === Contractor Identification === Company Name: CASTROL INC., BRAY PRODUCTS DIV. Address:16715 VON KARMAN AVE., SUITE 230 City:IRVINE State:CA ZIP:92714 Country:US Phone:714-660-9414/ABROAD 202-4837616COLL CAGE:EO288 Company Name: CASTROL INDUSTRIAL NORTH AMERICA INC SPECIALTY PRODUCTS DIV Address:1001 WEST 31ST STREET Box:City:DOWNERS GROVE State:IL ZIP:60515-1280 Country:US Phone:800-621-2661/ FAX: 630-241-4140 CAGE:2R128

======= Composition/Informa

tion on Ingredients ========

Ingred Name:LUBE OIL,ESTER BASED,NOT IDENTIFIED Other REC Limits:5 MG/CUM OIL MIST

Ingred Name:MFR REPORTED ALL INGREDIENTS "NON-HAZARDOUS" RTECS #:99999992Z

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:PRODUCT IS NOT EXPECTED TO HAVE ANY ILL EFFECT EXCEPT POSSIBLE MILD IRRITATION OR IN EXTREMELY SENSITIVE INDIVIDUALS. Effects of Overexposur e:MILD IRRITATION. Medical Cond Aggravated by Exposure:NONE REPORTED.

First Aid:EYE:FLUSH WITH WATER. SKIN:WASH WITH SOAP & WATER. INHALED:REMOVE FROM SOURCE OF VAPORS. INGEST:DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION.

Flash Point Method:COC Flash Point:450F/232C Extinguishing Media:DRY CHEMICAL,CARBON DIOXIDE,FOAM,WATER FOG. Fire Fighting Proc edures:USE WATER ONLY AS FOG OR SPRAY COOLING OF FIRE EXPOSED CONTAINERS. Unusual Fire/Explosion Hazard:NONE.

Spill Release Procedures:CONTAIN SPILL. ABSORB WITH INERT MATERIAL. STORE IN CLOSED CONTAINER PENDING DISPOSAL. Neutralizing Agent:NONE

Handling and Storage Precautions: STORE IN AREA FREE FROM SOURCES OF IGNITION AND/OR EXCESSIVE HEAT.

=

Respiratory Protection:NOT NORMALLY NEEDED. USE NIOSH OIL MIST RESPIRATOR OR SUPPLIED AIR RESPIRATOR IN CONFINED AREAS OR WHEN TLV IS EXCEEDED. Ventilation: USE LOCAL EXHAUST IF NEEDED TO MAINTAIN EXPOSURE BELOW TLV. Protective Gloves: IMPERVIOUS. Eye Protection: SPLASH GOGGLES. Other Protective Equipment: IMPERVIOUS APRON. Work Hygienic Practices: USE NORMAL CHEMICAL HYGIENE PRACTICES. AVOID PROLONGED CONTACT. Supplement al Safety and Health HCC:V6 Boiling Pt:B.P. Text:>500F/260C Spec Gravity:0.925 Solubility in Water:SLIGHT Appearance and Odor:BROWN,OILY,LIQUID;MILD CHARACTERISTIC ODOR. Stability Indicator/Materials to Avoid:YES STRONG OXIDIZIERS. Stability Condition to Avoid:NONE REPORTED. Hazardous Decomposition Products:NORMAL PRODUCTS OF HYDROCARBON COMBUSTION.

Waste Disposal Methods:DISPOSE I/A/W FEDERAL,STATE,LOCAL REGULATIONS. MFR SUGGESTS INCINERATION.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person uti

lizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.