

SOUTHWEST PETRO-CHEM -- SA 827 3149 -- 9150-00-753-4686

===== Product Identification =====

Product ID:SA 827 3149

MSDS Date:01/01/1985

FSC:9150

NIIN:00-753-4686

MSDS Number: BFNBV

=== Responsible Party ===

Company Name:SOUTHWEST PETRO-CHEM

Emergency Phone Num:(913) 782-5800

CAGE:3V856

=== Contractor Identification ===

Company Name:SOUTHWEST PETRO-CHEM

Address:1400 S HARRISON

Box:1974

City:OLATHE

State:KS

ZIP:66061

Country:US

Phone:913-782-5800

CAGE:3V856

===== Composition/Information on Ingredients =====

Ingred Name:PETROLEUM HYDROCARBONS

Fraction by Wt: 99.0%

Ingred Name:DIISOPROPYL HYDROGEN PHOSPHITE; CAS #1809-20-7

CAS:1809-20-7

RTECS #:SZ7660000

Fraction by Wt: 1.0%

Ingred Name:BARIUM SULFATE

CAS:7727-43-7

RTECS #:CR0600000

Fraction by Wt: UNK

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9293

===== Hazards Identification =====

=====

Effects of Overexposure:SKIN:IRRITN ON PROLNGD CONTCT;EYES:SEVERE BURNS;MAY CAUSE RESPIRATORY IRRITN,DIZZ,NAUSEA,UNCONSCIOUS

===== First Aid Measures =====

First Aid:SKIN:WASH W.SOAP & H\*2O. EYES:FLUSH W. H\*2O. INGESTED:DON'T INDUCE VOMITING. INHALED:REMOVE TO FRESH AIR. GIVE CPR/OXYGEN IF NEED. KEEP WARM & QUIET. REMOVE CONTAMINATED CLOTHING. NEVER GIVE ANYTHING BY MOUTH TO UNCONSCIOUS PERSON.

===== Fire Fighting Measures =====

Flash Point:172F/78C-COC  
Lower Limits:UNK  
Upper Limits:UNK  
Extinguishing Media:CO\*2, FOAM, DRY CHEM & H\*2O FOG. SAND & EARTH.  
Fire Fighting Procedures:WEAR SELF-CNTND BRTHG APP  
Unusual Fire/Explosion Hazard:DENSE SMOKE

===== Accidental Release Measures =====

Spill Release Procedures:EVACUATE UNPROTECTED PERSONS. ELIM IGNITION SOURCES. STOP LEAK. H\*2O SPRAY COOL CONT/DIVERT SPILL FROM FIRE/HEAT. PROVIDE VENTILATION. ABSORB W C OMMERCIAL ABSORBENT,SHOVEL INTO METAL DRUMS:LG SPILL:DI KE W COMMERCIAL ABSORBENT,PUMP INTO COVERED DRUMS.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP CONTAINERS TIGHTLY CLOSED KEEP AWAY FM FEED/FOOD  
Other Precautions:KEEP OUT OF REACH CHILDREN. WASH THOROUGHLY AFTER HANDLING.

===== Exposure Controls/Persona

I Protection =====

Respiratory Protection:NONE SHOULD BE NEEDED

Ventilation:MECHANICAL(GENERAL) RECOMMENDED,LOCAL EXHAUST IF NEEDED

Protective Gloves:RUBBER

Eye Protection:GOGGLES/FACE SHIELD

Other Protective Equipment:NONE

Supplemental Safety and Health

MSDS FM MFR DATED:3-24-82;ITEM OF MIL SPEC MIL-L-46000B.

===== Physical/Chemical Properties =====

HCC:V4

Boiling Pt:B.P. Text:160F/71C

Vapor Pres:UNK

Vapor Density:UNK

Spec Gravity:0.921

Solubility in Water

r:SLIGHT

Appearance and Odor:AMBER VISCOUS LIQUID WITH BLAND ODOR

Percent Volatiles by Volume:UNK

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS SUCH AS:CHROMIC ACID,H\*2O\*2,BROMINE

Stability Condition to Avoid:HEAT, IGNITION SOURCES

Hazardous Decomposition Products:CO\*2, CO, TOXIC OXIDES.

===== Disposal Considerations =====

Waste Disposal Methods:KEEP IN COVERED DRUMS,PENDING DISPOSAL. HANDLE &

DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE

INTERNATIONAL,FEDERAL,STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent

nt professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.