

COURTAULDS AEROSPACE INC -- PR-1422 CLASS A -- 8030-00-753-5003

=====
Product Identification
=====

Product ID:PR-1422 CLASS A

MSDS Date:01/01/1985

FSC:8030

NIIN:00-753-5003

MSDS Number: BFNHH

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE INC

Address:757 CALIFORNIA ST

Box:1800

City:GLENDALE

State:CA

ZIP:91203

Country:US

Info Phone Num:818-549-7973

Emergency Phone Num:818-549-7973

CAG

E:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

=====
Composition/Information on Ingredients
=====

Ingred Name:CALCIUM DICHROMATE

CAS:14307-33-6

RTECS #:HX7630000

Fraction by Wt: 4.0%

OSHA PEL:C, 0.1 MG/M3 (CRO3)

ACGIH TLV:0.05 MG/M3 (CR);8990

Ingred Name:TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS52500

00

Fraction by Wt: 7.0%

OSHA PEL:200 PPM/150 STEL

ACGIH TLV:50 PPM; 9293

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)

CAS:78-93-3

RTECS #:EL6475000

Fraction by Wt: 2.0%

OSHA PEL:200 PPM/300 STEL

ACGIH TLV:200 PPM/300STEL 9192

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:DIMETHYLFORMAMIDE

CAS:68-12-2

RTECS #:LQ2100000

Fraction by Wt: 2.0%

OSHA PEL:S, 10 PPM

ACGIH TLV:S, 10 PPM; 9192

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

=====

===== Hazards Identification =====

Effects of Overexposure:HEADACHE; POSSIBLE SKIN IRRITATION.

===== First Aid Measures =====

First Aid:SKIN:WASH THOROUGHLY W/SOAP & WATER. EYES: WASH OUT IMMEDIATELY W/PLENTY OF WATER; SEE A PHYSCIAN. INHALATION:REMOVE TO FRESH AIR.

===== Fire Fighting Measures =====

Flash Point:23F PMCC

Lower Limits:1.0

Upper Limits:7.0

Extinguishing Media:DRY CHEMICAL,

FOAM, CO2

Unusual Fire/Explosion Hazard:CAN EMIT TOXIC VAPORS.

===== Accidental Release Measures =====

Spill Release Procedures:MFG RECM WIPING UP W/RAGS OR PAPER TOWELS;
CLEAN W/MEK.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP IN CLOSED CONTAINERS IN SHELTERED
AREA. KEEP AWAY FROM HEAT & OPEN FLAME.

Other Precautions:AVOID PROLONGED SKIN CONTACT. AVOID PROLONGED OR
REPEATED BREATHING OF VA
POR.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPROVED AIR-SUPPLIED RESPIRATOR IN
ENCLOSED AREA.

Ventilation:ADEQUATE TO MINIMIZE VAPORS.

Protective Gloves:GLOVES

Eye Protection:CHEM GOGGLES (OPTIONAL)

Other Protective Equipment:CAN ALSO USE HAND CREAM.

Supplemental Safety and Health

KEY1:F3. CR IN CALCIUM DICHROMATE IS A SUSPECT CARCINOGEN.

===== Physical/Chemical Properties =====

HCC:F2

Spec Gravit

y:1.4200

Solubility in Water:NEGLIGIBLE

Appearance and Odor:LIGHT BROWN SYRUP,TOLUENE ODOR

Percent Volatiles by Volume:16.5

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

CORROSIVES & OXIDIZERS;CAN REACT W REDUCING MATERIALS

Stability Condition to Avoid:SOURCE OF IGNITION

Hazardous Decomposition Products:OXIDES OF SULFUR,H2S,FORMIC ACID

===== Disposal Considerations =====

Waste Disposal Methods:MF

G RECM PUTTING CLOSED CONTAINERS IN NORMAL
TRASH ROUTE IN ACCORDANCE W/FED, STATE & LOCAL CODES. DO NOT
INCINERATE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent
professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.