View NSN Online: https://aerobasegroup.com/nsn/8040-00-776-9605 FENWAL INC -- EPON 828(FENWAL P/N 80055-78) -- 8040-00-776-9605 Product ID:EPON 828(FENWAL P/N 80055-78) MSDS Date:01/01/1985 FSC:8040 NIIN:00-776-9605 Kit Part:Y MSDS Number: BFPBP === Responsible Party === Company Name: FENWAL INC Emergency Phone Num:617-881-2000 CAGE:0KDP7 === Contractor Identification === Company Name: FENWAY SAFETY SYSTEMS INC Address:700 NIC KERSON RD Box:City:MARLBOROUGH State:MA ZIP:01752 Country:US CAGE:73168 Company Name: KIDDE FENWAL INC Address:400 MAIN ST Box:City:ASHLAND State:MA ZIP:01721-2150 Country:US Phone:508-881-2000 CAGE:0KDP7 ======= Composition/Information on Ingredients ======== Ingred Name: EPON 828 (LIQUID RESIN) RTECS #:KC2275000 Fraction by Wt: 100% **ACGIH TLV:UNK** 

========== Hazards Identification ===============

Effects of Overexposure:PRIMARY IRRITATION OF SKIN-ON PROLONGED O

REPEATED CONTACT.
======================================
First Aid:REMOVE FROM SKIN W/WATER OR WATERLESS SKIN CLEANER.
======================================
Flash Point:480F COC 249C Extinguishing Media:WATER SPRAY,FOAM,CO*2,DRY CHEMICALS Fire Fighting Procedures:NO SPEC PROCEDURES-AVOID BREATHING SMOKE Unusual Fire/Explosion Hazard:NO UNUSUAL-HAZARDS
======== Accidental Release Measures =========
Spill Release Procedures:CLEAN W/A CLOTH-OBSERVE FIRE HAZARD IF SOLVENTS ARE USED.
========== Handling and Storage ============
Handling and Storage Precautions:STORE IN A COOL PLACE Other Precautions:HANDLE IN ACCORDANCE W/HAZARDOUS POTENTIALITIES OF THE CURING AGENT WHEN MIXED.THEREWITH.SPI CLASSIFICATION OF 2.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NOT ORDINARILY REQD Ventilation:LOC EXHAUST-ONLY IF HEATED,MECH- NOT ORDINARILY NEEDED Protective Gloves:RUBBER Eye Protection:GOGGLES Supplemental Safety and Health PROCURED UNDER P/N 80055-78.KEY1:N1.
======== Physical/Chemical Properties =========
HCC:N1 Spec Gravity:1.17 Appearance and Odor:AMBER LIQUID
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Hazardous Decomposition Products:CARBON MONOXIDE,ALDEHYDES,ACIDS,ETC. Conditions to Avoid Polyme

R

======= Disposal Considerations ===========

Waste Disposal Methods: CONTROLLED BURNING OR BURIAL.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

cument should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.