

HATCO CHEMICAL CORP -- HATCO 1280 (MIL-L-7808J) -- 9150-00-782-2679

=====  
Product Identification  
=====

Product ID:HATCO 1280 (MIL-L-7808J)  
MSDS Date:09/12/1990  
FSC:9150  
NIIN:00-782-2679  
MSDS Number: BFPHP  
=== Responsible Party ===  
Company Name:HATCO CHEMICAL CORP  
Address:KING GEORGE POST ROAD  
City:FORDS  
State:NJ  
ZIP:08863  
Country:US  
Info Phone Num:201-738-1000  
Emergency Phone Num:201-738-3568  
Pre  
parer's Name:A. SOOS  
CAGE:3W990  
=== Contractor Identification ===  
Company Name:HATCO CHEMICAL CORP  
Address:KING GEORGE POST ROAD  
City:FORDS  
State:NJ  
ZIP:08863  
Country:US  
Phone:201-738-3568  
CAGE:3W990

=====  
Composition/Information on Ingredients  
=====

Ingred Name:TAR ACIDS, CRESYLIC,PHENYL,PHOSPHATE  
CAS:68952-35-2  
Fraction by Wt: 100%.

Ingred Name:MIXED TRIMETHYLOLPROPANE ESTERS  
CAS:67762-64-5  
Other REC Limits:NONE SPECIFIED

Ingred Name:MIXED TRIMETHYLOLPROPANE ESTERS  
CAS:68

130-53-0

Other REC Limits:NONE SPECIFIED

Ingred Name:TAR ACIDS, CRESYLIC,PHENYL,PHOSPHATE

CAS:68952-35-2

Other REC Limits:NONE SPECIFIED

Ingred Name:DIOCTYLDIPHENYLAMINE

CAS:26603-23-6

Other REC Limits:NONE SPECIFIED

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL RAT) IS 4640 MG/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SWALLOWING OF SUFFICIENT QUANTITIES OF

THIS MATERIAL OR PROLONGED SKIN OR INHALATION EXPOSURE MAY CAUSE NERVE DAMAGE. THERE MAY ALSO BE CHOLINESTERASE INHIBITION. THIS PRODUCT CONTAINS LESS THAN 0.02% OF THE ORTHO ISOMER.

Explanation of Carcinogenicity:NONE OF THE CHEMICALS IN THIS PRODUCT IS LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN.

Effects of Overexposure:MAY BE A MILD EYE OR SKIN IRRITANT. MAY CAUSE DIARRHEA IF INGESTED.

Medical Cond Aggravated by Exposure:THERE ARE NO DATA AVAILABLE WHICH

ADDRESS MEDICAL CONDITIONS THAT ARE GENERALLY RECOGNIZED AS BEING AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

=====  
===== First Aid Measures =====

First Aid:INGEST: IMMEDIATELY GIVE SEVERAL GLASSES OF WATER BUT DO NOT INDUCE VOMITING. SEE DR. SKIN: FLUSH ALL AFFECTED AREAS WITH PLENTY OF WATER FOR AT LEAST 15 MIN. IF IRRITATION PERSISTS, SEE DR. EYE: FLUSH WITH PLENTY OF RUNNING WATER FOR AT LEAST 15 MIN. SEE DR. IF IRRITATION PERSISTS. IN

HALE: REMOVE TO FRESH AIR. SEE DR. IF

RESPIRATORY IRRITATION OCCURS OR IF BREATHING BECOMES DIFFICULT.

=====  
===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:410F,210C

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fir

e/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE  
HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

===== Accidental Release Measures =====

Spill Release Procedures:WIPE OR SOAK UP SMALL SPILLS WITH PAPER TOWEL  
OR INERT ABSORBANT. DIKE TO RETAIN LARGE SPILLS. VACUUM UP FREE  
LIQUID. REMOVE RESIDUE WITH INERT ABSORBANT. PLACE IN DISPOSAL  
CONTAINER. FLUSH AREA WITH WATER.

Neutralizing Agent:NONE APPLICABLE FOR THIS MATERIAL

===== Ha  
ndling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY, WELL VENTILATED  
AREA. PROTECT FROM PHYSICAL DAMAGE, HEAT AND IGNITION SOURCES. KEEP  
CONTAINERS CLOSED.

Other Precautions:MAY ATTACK PAINTS OR LACQUERS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHERE ADEQUATE VENTILATION IS NOT AVAILABLE, USE  
NIOSH-APPROVED ORGANIC VAPOR RESPIRATORS WITH DUST, MIST AND FUME  
FILTERS TO REDUCE EXPOSURE.

Ventilation:MECHANICAL (GENERAL) VENTILATION IS REQUIRED. LOCAL EXHAUST  
MAY BE REQUIRED IF WORK AREA IS NOT VENTED.

Protective Gloves:PERMEATION RESISTENT

Eye Protection:CHEMICAL SAFETY GOGGLES

Other Protective Equipment:SAFETY SHOWER AND EYE BATH. OTHER EQUIPMENT  
AS REQUIRED TO MINIMIZE EXPOSURE FROM PROLONGED OR REPEATED  
CONTACT.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE  
EATING. LAUNDRER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

N  
ONE

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>430F,>221C

Vapor Pres:NEGLI.

Spec Gravity:.950

Solubility in Water: