View NSN Online: https://aerobasegroup.com/nsn/6850-00-782-2740

Product ID: FAULT FINDER FLUORESCENT PENETRANT 1032 MSDS Date:01/01/1987 FSC:6850 NIIN:00-782-2740 **MSDS Number: BFPPP** === Responsible Party === Company Name: CROWN INDUSTRIAL PRODUCTS Address:STATE LINE ROAD **City:HEBRON** State:IL ZIP:60034 Country:US CAGE:92381 === Contractor I dentification === Company Name: CROWN INDUSTRIAL PRODUCTS CO Address: HWY 47 N Box:350 **City:HEBRON** State:IL ZIP:60034 Country:US Phone:815-648-2424 CAGE:92381 Ingred Name: PHOSPHATE ESTER

Fraction by Wt: 25%

Ingred Name:AROMATIC HYDROCARBON Fraction by Wt: 50%

Ingred Name:HALOGENATED HYDROCARBONS Fraction by Wt: 25%

Effects of Overexposure:SEVERE EYE IRRITA

## TION, DRYING OF SKIN. EXCESSIVE INHALATION CAUSES HEADACHES, DIZZINESS AND NAUSEA.

======================================
First Aid:EYE CONTACT;FLUSH WITH WATER.SKIN CONTACT:WASH WITH MILD SOAP AND WATER,AND APPLY SKIN CREAM.INHALATION:REMOVE TO FRESH AIR AND CALL A DOCTOR.DO NOT ADMINISTER EPINEPHRINE OR SIMILAR DRUGS.
======================================
Flash Point:260F,OC,LIQUID Extinguishing Media:WATER SPRAY,FOAM,CA RBON DIOXIDE,DRY CHEMICAL Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard:NONE
======================================
Spill Release Procedures: CLEAN UP WITH SOLVENT AND SWEEPING COMPOUND AND PLACE IN APPROVED CONTAINERS.
======================================
Handling and Storage Precautions:AEROSOL CONTAINER:DO NOT STORE IN DIRECT SUNLIGHT,NEAR OPEN FLAME OR RADIATORS. Other Precautions:DO NOT STORE AT TEMPERATURE S ABOVE 120F.AVOID EXCESSIVE INHALATION.
======================================
Ventilation:LOCAL - YES Protective Gloves:YES Eye Protection:YES Other Protective Equipment:EYE BATH AND SAFETY SHOWER. Supplemental Safety and Health THIS PRODUCT 1032 IS ONE OF THREE PRODUCTS WHICH MAKE UP AN INSPECTION
PENETRANT KIT GROUP VII. THE OTHER TWO PRODUCTS ARE 1031 AND 1033

======= Physical/Chemical Pr

WHICH ARE A CLEANER AND DEVELOPER RESPECTIVELY.

operties ===============

HCC:V3 Boiling Pt:B.P. Text:350-550 Vapor Density:>1 Spec Gravity:1+ Evaporation Rate & amp; Reference:0.2 Solubility in Water:NEGLIGIBLE Percent Volatiles by Volume:100

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Stability Condition to Avoid:DO NOT SPRAY IN TO OPEN FLAME. Hazardous Decomposition Products:CARBON MONOXIDE,POSSIBLE PHOSGENE

====== Disposal Cons

iderations =================================

Waste Disposal Methods:AEROSOL CONTAINER:DO NOT PUNCTURE OR INCINERATE.WHEN LIQUID IS ALL EXPELLED CNTINE TO PRESS BUTTON UNTIL GAS IS EXPELLED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its u se. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.