

LOCTITE CORPORATION -- LOCTITE GRADE A ANAEROBIC ADHESIVE,PART# 88 --
8030-00-822-3505

=====
Product Identification
=====

Product ID:LOCTITE GRADE A ANAEROBIC ADHESIVE,PART# 88

MSDS Date:01/01/1987

FSC:8030

NIIN:00-822-3505

MSDS Number: BFQVR

=== Responsible Party ===

Company Name:LOCTITE CORPORATION

Emergency Phone Num:203-278-1280

CAGE:05972

=== Contractor Identification ===

Company Name:LOCTIT

E CORPORATION

Address:1001 TROUT BROOK CROSSING

Box:City:ROCKY HILL

State:CT

ZIP:06067-3910

Country:US

Phone:860-571-5100

CAGE:05972

=====
Composition/Information on Ingredients
=====

Ingred Name:POLYGLYCOL DIMETHACRYLATES,90-95%

Ingred Name:1-METHYL-1-PHENYLETHYL HYDROPEROXIDE (CUMENE HYDROPEROXIDE)
(SARA III)

CAS:80-15-9

RTECS #:MX2450000

Fraction by Wt: 5-7%

EPA Rpt Qty:10 LBS

DOT Rpt Qty:10 LBS

Ingred Name:TRIALKYLAMINE

Fraction by Wt: 2-3%

=====

Hazards Identification =====

Effects of Overexposure:MAY CAUSE DERMATITIS ON PROLONGED CONTACT IN SENSITIVE INDIVIDUALS. MFR STATES:IN A (SEE SUPP DATA)

===== First Aid Measures =====

First Aid:INGESTION:DO NOT INDUCE VOMITING. KEEP INDIVIDUAL CALM. OBTAIN MEDICAL ATTENTION. INHALATION:DOES NOT APPLY. SKIN CONTACT:FLUSH W/WATER. EYE CONTACT:FLUSH W/WATER FOR AT LEAST 15 MINUTES.

===== Fire Fighting Measures =====

Flash Point:>200F,93.3C (TCC
Extinguishing Media:CO*2,DRY CHEMICAL,FOAM
Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA.
Unusual Fire/Explosion Hazard:IRRITATING ORGANIC VAPORS FORMED BY FIRE OR THERMAL DECOMPOSITION.

===== Accidental Release Measures =====

Spill Release Procedures:SOAK UP IN AN INERT ABSORBENT. STORE IN PARTLY-FILLED,CLOSED CONTAINER UNTIL DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:STORE BELOW 110F (43.3C) TO PRESERVE SHELF-LIFE. AVOID PROLONGED SKIN CONTACT.
Other Precautions:VAPOR PRESSURE: GIVEN AT 80F (26.7). VAPOR DENSITY:N/K=NOT KNOWN. SPECIFIC GRAVITY: GIVEN AT 80F (26.7). DATE OF PREP:11/1/85.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN.
Ventilation:NOT NORMALLY NECESSARY.
Protective Gloves:

RUBBER/PLASTIC

Eye Protection:SAFETY GLASSES OR GOGGLES

Supplemental Safety and Health

EFFECTS OF OVEREXP:SINGLE TEST,PURE CUMENE HYDROPEROXIDE CAUSED TUMORS
IN 1 OF 30 EXPERIMENTAL ANIMALS WHEN INJECTED UNDER THE SKIN. EST.
ORAL LD 50 >5000 MG/KG; EST. DERMAL LD 50 >2000 MG/KG.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:>300F,149C

Vapor Pres: