

TEXACO INC -- 01567 CAPELLA OIL WF 32 -- 9150-00-823-7905

=====
Product Identification
=====

Product ID:01567 CAPELLA OIL WF 32
MSDS Date:01/01/1987
FSC:9150
NIIN:00-823-7905
MSDS Number: BFQXX
=== Responsible Party ===
Company Name:TEXACO INC
Box:509
City:BEACON
State:NY
ZIP:12508-0509
Country:US
Info Phone Num:814-838-7204 OR 914-838-7509
Emergency Phone Num:914-831-3400
CAGE:7B131
=== Contract
or Identification ===
Company Name:TEXACO INC
Box:509
City:BEACON
State:NY
ZIP:12508-0509
Country:US
Phone:914-831-3400
CAGE:7B131

=====
Composition/Information on Ingredients
=====

Ingred Name:CLAY-TREATED LIGHT NAPHTHENIC PETROLEUM DISTILLATES(TLV AS
OIL MIST)CAS#64742456;50-65%
Fraction by Wt: 57.5%
ACGIH TLV:5MG/CUM

Ingred Name:CLAY TREATED HEAVY NAPHTHENIC PETROLEUM DISTILLATE (TLV AS
OIL MIST),35-50%;CAS#64742445
CAS:64742-44-5
RTECS #:SE7449700
Fraction by Wt:

42.5%
ACGIH TLV:5MG/CUM

=====
Hazards Identification
=====

Effects of Overexposure:EYES AND SKIN:IRRITATING INHALATION:MAY IRRITATE RESPIRATORY TRACT,HEADACHE OR NAUSEA.

=====
First Aid Measures
=====

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O*2 IF NEED;EYES/SKIN:FLUSH W LG AMTS H*20 FOR 15 MIN;INGEST:RINSE MOUTH; GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER SYMPTOMS OF OVEREXPOSURE.

=====
Fire Fighting Measures
=====

Flash Point:330F/166C (COC)
Extinguishing Media:WATER SPRAY,DRY CHEMICAL,FOAM,CO*2
Fire Fighting Procedures:USE WATER SPRAY TO COOL CONTRS;USE SCBA WITH FULL PROTECTION
Unusual Fire/Explosion Hazard:NONE NOTED

=====
Accidental Release Measures
=====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;CONTAIN SPILL IF POSSIBLE, WIPE UP OR ABSORB ON SUITABLE MATERIAL AND SHOVEL UP & RECOVER FOR PROPER DISPOSAL.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN COOL,DRY AND WELL VENTILATED AREAS.WATER CONTAMINATION SHOULD BE AVOIDED.KEEP CONTAINER CLOSED WHEN NOT IN USE.
Other Precautions:AVOID CONTACT WITH SKIN AND EYES:DO NOT INHALE VAPORS/OIL MIST;WASH AFTER EACH USE.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NO SPECIAL REQUIREMENTS UNDER ORDINARY

CONDITIONS/ADEQUATE VENT.

Ventilation:MECH(GEN)OR LOCAL EXHAUST THAT PROVIDES ADEQUATE VENTILATION

Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY/CHEM GOGGLES

Other Protective Equipment:FULL PROTECTIVE CLOTHING,SAFETY SHOWER,EYE WASH STATION

Supplemental Safety and Health

MSDS DATE 12/19/85

===== Physical/Chemical Properties =====

HCC:V6

Spec Gravity:0.9013

Appearance and Odor:LIGHT PALE LIQUID,VICOSITY,30.05 CST.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE NOTED

Stability Condition to Avoid:HEAT OR OPEN FLAMES

Hazardous Decomposition Products:WHEN HEATED TO

COMBUSTION:CO,CO*2,CH*3CHO,NITROGEN \$ SULFUR

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This infor

mation is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.