

EVERSEAL -- BLACK POLYISOBUTYLENE -- 8010-00-823-7910

===== Product Identification =====

Product ID:BLACK POLYISOBUTYLENE

MSDS Date:01/01/1987

FSC:8010

NIIN:00-823-7910

MSDS Number: BFQYF

=== Responsible Party ===

Company Name:EVERSEAL

CAGE:MO044

=== Contractor Identification ===

Company Name:EVERSEAL

CAGE:MO044

Company Name:EVERSEAL MFG CO INC

Address:475 BROAD AVE

Box:City:RIDGFIELD

State:NJ

Z

IP:07657-2329

Country:US

Phone:201-943-4986

CAGE:72988

===== Composition/Information on Ingredients =====

Ingred Name:MINERAL SPIRITS

CAS:64475-85-0

RTECS #:PY8240000

Fraction by Wt: 91%

Ingred Name:INHIBITOR

Fraction by Wt: -1%

Ingred Name:CARBON BLACK

RTECS #:FF5868000

Fraction by Wt: 4%

Ingred Name:POLYISBUTYLENE POLYMER

CAS:9003-27-4

RTECS #:UD1010000

Fraction by Wt: 5%

===== Hazards Identification =====

Effects of Overexposure:MAY B

E IRRITATING TO SKIN & RESPIRATORY SYSTEM.

=====  
First Aid Measures  
=====

First Aid:MOVE SUBJECT TO WELL VENTILATED AREA, CALL PHYSICIAN IF NECESSARY.

=====  
Fire Fighting Measures  
=====

Flash Point:220F CC 104C

Lower Limits:0.77

Extinguishing Media:FOAM, CARBON DIOXIDE, DRY CHEMICAL, CARBON TET.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:FOLLOW GENERAL CLEANING PROCEDURES, SMALL

SPILL MAY BE WASHED AWAY WITH WATER.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:SECURE ALL SOURCES OF IGNITION. STORE IN COOL DRY PLACE, AWAY FROM PHYSICAL ABUSE.

Other Precautions:ODOR THRESHOLD IS NOT ADEQUATE TO WARN OF POTENTIALLY DANGEROUS.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:SELF-CONTAINED BREATHING APPARATUS

Ventilation:LOC EXHAUST-YES/MECHANICAL

P

Protective Gloves:YES

Eye Protection:YES

Supplemental Safety and Health

=====  
Physical/Chemical Properties  
=====

HCC:N1

Boiling Pt:B.P. Text:300-375F

Vapor Pres:+1

Vapor Density:3.9

Solubility in Water:INSOLUBLE

Appearance and Odor:BLACK LIQUID,PETROLEUM LIKE ODOR.

Percent Volatiles by Volume:94

=====  
Stability and Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES

WATER, AQUEOUS SOLUTIONS

Stability Condition to Avoid:OPEN FL

AMES,UNGROUND ED EQUIPMENT.

===== Disposal Considerations =====

Waste Disposal Methods:RETURN UNUSED MATERIAL TO SUITABLE CONTAINER.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.