

THREE BOND OF AMERICA, INC -- 1743 -- 8040-00-826-3535

===== Product Identification =====

Product ID:1743

MSDS Date:01/01/1985

FSC:8040

NIIN:00-826-3535

MSDS Number: BFRKR

=== Responsible Party ===

Company Name:THREE BOND OF AMERICA, INC

Emergency Phone Num:213-556-3614

CAGE:DO698

=== Contractor Identification ===

Company Name:GENERAL SERVICES ADMINISTRATION FEDERAL SUPPLY SVC

Address:CYSTAL MALL

BLDG 4 1941 JEFFERSON DAVIS

Box:HWY

City:WASHINGTON

State:DC

ZIP:20406

Country:US

CAGE:80244

Company Name:THREE BOND OF AMERICA, INC

Address:20815 HIGGINS COURT

Box:City:TORRANCE

State:CA

ZIP:90501

Phone:800-424-9300 CHEMTREC

CAGE:DO698

===== Composition/Information on Ingredients =====

Ingred Name:ETHYLCYANOACRYLATE

Fraction by Wt: 100%

ACGIH TLV:UNK

===== Hazards Identification =====

Effects of Overexposure:MAY IRRITATE EYES,BOND SKIN.IN

STANTLY,HAZARDOUS  
IF SWALLOWED MODERATELY TOXIC BUR HAZARDOUS IF(SUPP)

=====  
First Aid Measures  
=====

First Aid:REMOVE VICTIM FR FURTHER EXPOSURE, FLASH AFFECRTED SKIN AREA  
W/WATER, WITH MILD SOAP & WATER. IF IT WAS SWALLOWED OR FLUSHED IN  
ETE, CALL PHYSICIAN IMMEDIATELY.

=====  
Fire Fighting Measures  
=====

Flash Point:180-200 F 83-93  
Extinguishing Media:FOAM, CARBONDIOXIDE OR DRY CHEMICAL  
Fire Fighting Proce  
dures:WATR SPRAY NOT ORDINARILY EFFECTV.WATR SPRAY  
COOLS BURN(SUP)  
Unusual Fire/Explosion Hazard:NONE

=====  
Accidental Release Measures  
=====

Spill Release Procedures:WIPE UP IMMEDIATELY & SAFELY, DISCARD  
SATURATED ABSORBENTS

=====  
Handling and Storage  
=====

Handling and Storage Precautions:USE W/ADEQUATE VENTILATION,AVOID  
PROLONGED BREATHING OF VAPOR AVOID PROLONGED OR REPEATED CONTACT  
WITH SKIN.  
Other Precautions  
:KEEP AWAY FROM OPEN FLAME & EXCESSIVE HEAT.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:MASK MAY BE SUGGESTED  
Ventilation:MAY BE NEC. WHEN HANDLED AT ELEVATED TEMP OR OPEN EQUIPMENT  
Protective Gloves:MUST BE USED  
Eye Protection:CHEM SAFETYGOGGLES OR FAC  
Supplemental Safety and Health  
SPEC. FIRE FIGHT PROCED:ING SURFACE & EXCLUDES AIR TO CONTRL OR  
EXTINGUISH. EFF. OF OVEREXPOS:SWALLOWED BECAUSE MATERIAL SOLIDIFYS  
INSIDE.

=====

= Physical/Chemical Properties =====

HCC:V4

Evaporation Rate & Reference:SLOWER THAN ETHER

Percent Volatiles by Volume:0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

WATER (MOISTURE)

Stability Condition to Avoid:EXCESSIVE HEAT, OPEN FLAME, MOISTURE IF  
CONTAINER IS OPEN

Hazardous Decomposition Products:IT EMITS ACRID FUMES

===== Disposal Considerations =====

Waste Disposal

Methods:MEK OR ACETONE MAY BE USED TO WIPE OFF WITH  
EFFECTIVE VENTILATION.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume re  
sponsibility for the suitability of this information to their  
particular situation.