

UNION CHEMICALS DIV,UNION OIL OF CALIF. -- AQUA AMMONIA -- 6810-00-826-6121  
===== Product Identification =====

Product ID:AQUA AMMONIA

MSDS Date:01/01/1985

FSC:6810

NIIN:00-826-6121

MSDS Number: BFRLB

=== Responsible Party ===

Company Name:UNION CHEMICALS DIV,UNION OIL OF CALIF.

Address:461 S BOYLSTON ST

Box:7600

City:LOS ANGELES

State:CA

ZIP:90017-1443

Country:US

CAGE:DO714

=== Contractor Identification ===

Company Name:UNION CHEMICALS DIVISION

Address:1345 NORTH MEACHAM ROAD

Box:7600

City:SCHAUMBURG

State:IL

ZIP:60196

Phone:213-664-2121 OR 800-424-9300

CAGE:DO714

Company Name:UNION OIL CO OF CA UNION 76 DIV- WESTERN REGION

Address:1201 W 5TH ST

Box:7600

City:LOS ANGELES

State:CA

ZIP:90017-1443

Country:US

CAGE:79003

===== Composition/Information on Ingredients =====

Ingred Name:AMMONIUM HYDROXIDE (SARA III)

CAS:1336-21-6

RTECS #:BQ9625000

Fraction by Wt: 29.4%

EPA Rp

t Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

===== Hazards Identification =====

Effects of Overexposure:IRRITATION TO EYES,UPPER RESPIRATORY TRACT & SKIN.

===== First Aid Measures =====

First Aid:EYE: FLUSH WITH WATER 15 MINUTES,GET MED ATTN. SKIN: WASH WITH SOAP & WATER. INHALATION: REMOVE FROM EXPOSURE,GIVE ARTIFICIAL RESPIRATION IF NEEDED,GET MED ATTN. INGESTION: GET MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point:NONE

===== Accidental Release Measures =====

Spill Release Procedures:FLUSH WITH PLENTY OF WATER

===== Handling and Storage =====

Handling and Storage Precautions:READ WARNINGS ON LABELS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPROVED RESP DEVICE IN ACCORD WITH EXPOSURE OF CONCERN.

Ventilation:LOCAL/MECHANICAL

Protective Gloves:RUBBER

Eye Protection:GAS TIGHT GOGGLES

Other Protective Equipment:COTTON CLOTHING & RUBBER APRON.

Supplemental Safety and Health  
CONTAINER SIZE: 15 GAL PAIL.

===== Physical/Chemical Properties =====

HCC:C2

Vapor Pres:7.4

Vapor Density:0.6

Spec Gravity:0.8974

Solubility in Water:APPRECIABLE

Appearance and Odor:COLORLESS LIQUID-PUNGENT.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:

YES  
CORRODES COPPER & COPPER ALLOYS.

===== Disposal Considerations =====

Waste Disposal Methods:BY METHODS CONSISTENT WITH LOCAL,STATE & FEDERAL  
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability  
for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.