View NSN Online: https://aerobasegroup.com/nsn/6810-00-826-6121

Product ID:O-A-451, AMMONIUM HYDROXIDE, TECHNICAL MSDS Date:01/01/1985 FSC:6810 NIIN:00-826-6121 **MSDS Number: BFRLC** === Responsible Party === **Company Name: MICHLIN CHEMICAL CORPORATION** Address:10501 HAGGERTY ST City:DEARBORN State:MI ZIP:48126 Country:US **Emergency Phone Num:313** -846-5700 **CAGE:8H736** === Contractor Identification === **Company Name: MICHLIN CHEMICAL CORPORATION** Address:10501 HAGGERTY ST Box:City:DEARBORN State:MI ZIP:48126 Country:US Phone:313-846-5700/800-424-9300(CHEMTREC) CAGE:8H736

Ingred Name:AMMONIUM HYDROXIDE (SARA III) CAS:1336-21-6 RTECS #:BQ9625000 Fraction by Wt: 29.0% EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 71.0%

Effects of Overexposure:ULCERS OF CORNEA & COMJUNCTIVITIS; CORNEAL & LENTICULAR CLOUDINESS, IRRITATION OF EYES & THROAT, COUGH

First Aid:FLUSH CONTACTED AREA WITH WATER FOR AT LEAST 15 MINUTES. CONSULT DOCTOR.WASH CONTAMINATED AREAS OF BODY WITH SOAP & WATER.SUPPLY OXYGEN WITH USE OF INTERMITTENT POSITIVE PRESSURE BREATHING APPARATUS.S EDATION IF NECESSARY.

Flash Point:NONE Lower Limits:16.0 Upper Limits:25.0 Extinguishing Media:NONE Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard:AMMONIA VAPORS RELEASED FROM SOLUTION CAN FORM AN EXPLOSIVE MIXTURE WITH AIR

Spill Release Procedures: AVOID PHYSICAL CONTACT & INHALATION OF VAPORS.DILUTE WITH LARGE QUANTITIES OF WATER.NEUTR ALIZE WITH HCL.WIPE WITH MOP OR USE WATER ASPIRATOR.DRAIN INTO AN APPROVED DISPOSAL AREA

Handling and Storage Precautions:BOTTLES WITH GLASS,PLASTIC OR RUBBER PLUG MUST NOT FILL COMPLETELY TO THE BRIM & MUST BE STORED IN COOL PLACE.KEEP AWAY FROM STRONG ACIDS.

Other Precautions:WEAR RUBBER GLOVES,LARGE FACE SHIELD & GENERAL PURPOSE GAS MASK.ADEQUATE VENTILATION. PRECLUDE FROM EXPOSURE THOSE INDIVIDUALS

WITH EYE & PULMONARY DISEASES

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:SELF CONTAINED BREATHING APPARATUS WHEN REQUIRED. Ventilation:SUFFICIENT TO KEEP AMMONIA AT LESS THAN 50 PPM. Protective Gloves:RUBBER. Eye Protection:SAFETY GOGGLES. Other Protective Equipment:LARGE FACE SHIELD & GENERAL PURPOSE GAS MASK. Supplemental Safety and Health THE ITEM IS CONSIDERED TYPE I IN FEDERAL SPECIFICATION OA 451

HCC:B1 Boiling Pt:=100.C, 212.F Vapor Pres:584 Vapor Density:0 Spec Gravity:0.8974 Evaporation Rate & amp; Reference:LT 1-ETHER Solubility in Water:COMPLETE Appearance and Odor:COLORLESS LIQUID,PUNGENT ODOR. Percent Volatiles by Volume:100

Stability Indicator/Materials to Avoid:YES STRONG ACIDS Hazardous Decomposition Products:NONE

Waste Disposal Methods:PUT INTO LARGE VESSEL CONTAINING WATER.NEUTRALIZE WITH HCL.DISCHARGE INTO AN APPROVED DISPOSAL AREA.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should see k competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.