

N/P -- ODORLESS MINERAL SPIRITS -- 8010-00-837-7969

Product ID:ODORLESS MINERAL SPIRITS

MSDS Date:01/01/1987

FSC:8010

NIIN:00-837-7969

MSDS Number: BFRXL

=== Responsible Party ===

CAGE:60016

=== Contractor Identification ===

Company Name:ASHLAND OIL INC ASHLAND CHEMICAL CO DIV

Address:831 5TH AVE S

Box:2219

City:KENT

State:WA

ZIP:98031

Country:US

CAGE:60016

=====  
Composition/Information on Ingredients  
=====

Ing  
red Name:NO INGREDIENT FOR THIS FORMULATION\_INGREDIENT

=====  
Hazards Identification  
=====

Effects of Overexposure:EYE, SKIN, LUNG IRRITANT; IF SWALLOWED, NAUSEA;  
ASPIRATION INTO LUNGS CAN CAUSE CHEMICAL PNEOMONTIS

=====  
First Aid Measures  
=====

First Aid:SKIN: WASH WITH SOAP AND WATER EYES: FLUSH WITH WATER, CALL  
MD. SWALLOWED: DO NOT INDUCE VOMITING--CALL MD. BREATHING: REMOVE  
TO FRESH AIR; GIVE OXYGEN, CA  
LL MD.

=====  
Fire Fighting Measures  
=====

Flash Point:120F, 48.9C CC

Lower Limits:10.

Extinguishing Media:FOAM, DRY CHEMICAL, CO2

Fire Fighting Procedures:SELF CONTAINED BREATHING APPARATUS, FULL FACE  
PIECE

Unusual Fire/Explosion Hazard:VAPORS MAY BE IGNITED AT DISTANCES FROM  
HANDLING POINT; NEVER WELD OR CUT NEAR CONTAINER

=====  
Accidental Release Measures  
=====

Spill Release Procedures:ELININATE ALL SOURCES OF IGNITION;

USE

ABSORBENT MATERIAL ON SMAL SPILLS; PUMP LARGE SPILLS TO SALVAGE TANK

=====  
Handling and Storage  
=====

Other Precautions:CONTAINERS MAY BE HAZARDOUS EVEN WHEN EMPTY

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:SELF CONTAINED BREATHING APPARATUS

Ventilation:GENERAL AND LOCAL

Protective Gloves:REQUIRED

Eye Protection:SPLAHS GOGGLES

Other Protective Equipment:IMPERVIOUS CLOTHING AND BOOTS

Supplemental Sa

fety and Health

=====  
Physical/Chemical Properties  
=====

HCC:F4

Boiling Pt:B.P. Text:340F, 171.1

Vapor Pres:2.0

Vapor Density:4.9

Spec Gravity:.759

Evaporation Rate & Reference:70.0 ETHER

Solubility in Water:INSOLUBLE

Appearance and Odor:CLEAR

Percent Volatiles by Volume:100

=====  
Stability and Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

=====  
Disposal Considerations  
=====

Waste Disposal Methods:ALLOW VOLATILE PORTION OF SMALL SPILL TO EVAPORATE IN HOOD. DESTROY REMAINING MATERIAL BY BURNING. LIQUID INCINERATION-LANDFILL IN ACCORDACE WITH LOCAL, STATE AND FEDERAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be

accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.