

CHEMICAL COMMODITIES AGENCY, INC -- HIGH HEAT ALUMINUM PAINT TT-P-28F --
8010-00-839-1429

=====
Product Identification
=====

Product ID:HIGH HEAT ALUMINUM PAINT TT-P-28F

MSDS Date:01/01/1987

FSC:8010

NIIN:00-839-1429

MSDS Number: BFRZG

=== Responsible Party ===

Company Name:CHEMICAL COMMODITIES AGENCY, INC

Emergency Phone Num:714-864-2310

CAGE:60777

=== Contractor Identification ===

Company Name:

CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

Box:City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Phone:909-864-2310

CAGE:60777

=====
Composition/Information on Ingredients
=====

Ingred Name:MINERAL SPIRITS

CAS:64475-85-0

RTECS #:PY8240000

Fraction by Wt: 78%

ACGIH TLV:200 PPM

=====
Hazards Identification
=====

Effects of Overexposure:ANESTHESIS, HEADACHE, NAUSEA, DIZZINESS. LIQUID
MILDLY IRRITATING TO SKIN.

=====

=====
First Aid Measures
=====

First Aid:INHALATION: REMOVE TO FRESH AIR. RESTORE BREATHING. SKIN:
WASH W/SOAP & WATER. EYES: FLUSH W/WATER. SEEK MEDICAL ATTENTION.

=====
Fire Fighting Measures
=====

Flash Point:145F 63C

Extinguishing Media:FOAM,CO*2,WATER FOG, DRY CHEMICAL

Fire Fighting Procedures:DO NOT USE WATER STEAM,USE WATER FOG, EXCLUDE
AIR .

Unusual Fire/Explosion Hazard:TREAT AS FLAMMABLE LIQUID.

=====
== Accidental Release Measures =====

Spill Release Procedures:AVOID SPARKS OR OPEN FLAMES. PROVIDE
VENTILATION.

=====
Handling and Storage
=====

Handling and Storage Precautions:AVOID SPARKS, OPEN FLAMES. AVOID
SPILLING, PROVIDE ADEQUATE VENTILATION.

Other Precautions:STORE IN COOL DRY AREA, AWAY FROM HEAT, SPARKS, OPEN
FLAME.

=====
Exposure Controls/Personal Protection =====

Respiratory Protection:ORGANIC CANIS
TR MASK OR AIR PACK.

Ventilation:LOC EXHAUST-YES.USE EXPLOSION PROOF MOTORS IN EQUIPMENT.

Protective Gloves:DESIRABLE

Eye Protection:YES

Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

HCC:V4

Boiling Pt:B.P. Text:310-370F

Vapor Pres:5.3

Vapor Density:HEAV

Evaporation Rate & Reference:SLOWER THAN ETHER

Appearance and Odor:ALUMINUM LIQUID

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to

Avoid: YES

Hazardous Decomposition Products: CO & CO*2 WHEN BURNED

===== Disposal Considerations =====

Waste Disposal Methods: USE ABSORBENT MATERIAL TO CLEAN UP. DISPOSE OF
IN ACCORDANCE W/LOCAL GOVERNMENT AGENCIES.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this
information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.