View NSN Online: https://aerobasegroup.com/nsn/5950-00-841-4385

## SOLA ELECTRIC DIV OF SOLA BASIC INDUSTRIES -- 60200 -- 5950-00-841-4385

======== Product Identification ============

Product ID:60200

MSDS Date:01/01/1985

FSC:5950

NIIN:00-841-4385

MSDS Number: BFSBY === Responsible Party ===

Company Name: SOLA ELECTRIC DIV OF SOLA BASIC INDUSTRIES

Address:1717 BUSSE RD City:ELK GROVE VILLAGE

State:IL

ZIP:60007-5615 Country:US

**Emergency Phone Num: NONE** 

CAGE:KO044 === Contrac

tor Identification ===

Company Name: SOLA BASIC INDUSTRIES INC SOLA ELECTRIC DIVISION

Address:1717 BUSSE RD Box:City:ELK GROVE VILLAGE

State:IL

ZIP:60007-5615 Country:US CAGE:55814

Company Name: SOLA ELECTRIC DIV. OF SOLA BASIC. INDUSTRIES

Address:1717 BUSSE RD Box:City:ELK GROVE VILLAGE

State:IL

ZIP:60007-5615 Country:US CAGE:KO044

======= Composition/Information on Ingredients ========

Ingred Name:POLYCHLORINATED BIPHENYLS (PCBS) (SARA III)

CAS:1336-36-3

RTECS #:TQ1350000

**EPA Rpt** 

Qty:1 LB DOT Rpt Qty:1 LB
=========== Hazards Identification ============
Effects of Overexposure:ABSORBED THRU SKIN,LUNGS,INTESTINE.CAUSES CANCER,LIVER,KIDNEY,STOMACH,EYE,HEARING DISORDER,(SUP DATA
======================================
First Aid:EYES:FLUSH W/WATER IMMED.SKIN:WASH W/SOAP IMMED.INHAL:REMOVE TO FRESH AIR,GIVE ART.RESPIR.AS NEEDED.INGEST:GET MEDICAL ATTN.GIVE LARGE QTY OF SALT WATER,INDUCE VOMITING,BUT DO NOT MAKE UNCONSCIOUS PER SON VOMIT.
======== Accidental Release Measures ==========
Spill Release Procedures:USE ABSORBENT & DIKES TO PREVENT RUNOFF.ISOLATE & NOTIFY PROPER AUTHORITIES.
============= Handling and Storage =============
Handling and Storage Precautions:STORAGE MUST FOLLOW RCRA REQUIREMENTS.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:SUPPLIED AIR W/FULL FACEPIECE,HELMET OR HOOD Ventilation: LOCAL EXHAUST Protective Gloves:RUBBER-IMPERV Eye Protection:GOGGLES,FACE SHIELD Other Protective Equipment:FULL CLOTHING TO PREVENT SKIN CONTACT Supplemental Safety and Health OVEREXPOS:CAN CAUSE FORMATION OF CYSTS,CAUSES STILLBIRTHS.IRRITATES EYES,NOSE THROAT.
========= Physical/Chemical Properties ==========
HCC:Z3 Appearance and Odor:LIGHT STRAW-COLORED LIQUID,AROMATIC ODOR
======== Stability and Reactivity Data =========
STRONG OXIDIZERS
=====

====== Disposal Considerations ===========

Waste Disposal Methods:CONTROLLED DISPOSAL REQUIRED-GENERALLY HIGH TEMPERATURE INCINERATION.ONLY APPROVED DISPOSAL OPERATOR PERMITTED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liab

ility for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.