View NSN Online: https://aerobasegroup.com/nsn/8040-00-843-7873

Product ID:VANOXY 115, EPOXY RESIN MSDS Date:01/01/1985 FSC:8030 NIIN:00-843-7873 **MSDS Number: BFSGZ** === Responsible Party === Company Name: R.T. VANDERBILT CO Emergency Phone Num: (203)838-4351 CAGE:FO348 === Contractor Identification === Company Name: R. T. VANDERBILT CO INC Address:30 WINFIELD STREE Т Box:5150 City:NORWALK State:CT ZIP:06855 Country:US Phone:203-853-1400 CAGE:1N612 Company Name: R.T. VANDERBILT COMPANY Address:30 WINFIELD STREET City:NORWALK State:CT ZIP:06855 Phone: (203) 853-1400 CAGE:FO348

Ingred Name:EPICHLOROHYDRIN-BISPHENOL A EPOXY RESIN Fraction by Wt: 89%

Ingred Name:N-BUTYL GLYCIDYL ETHER (BGE) CAS:2426-08-6 RTECS #:TX4200000 Fraction by Wt: 11% OSHA PEL:50 PPM ACGIH TLV:25 PPM; 9293

Effects of Overexposure: PRIMARY IRRITATION, ALLERGIC SENSITIZATION,	, &
IRRITATION OF THE RESPIRATORY SYSTEM	

First Aid:SKIN:WASH W/NEUTRAL OR ACID SOAPS AND WATER. DO NOT USE SLVENTS. EYES:IMMEDIATELY FLUSH W/WATER FOR AT LEAST 15 MINS. CALL MD. INHALATION:REMOVE TO FRESH AIR.

Flash Point :240F COC Extinguishing Media:CO*2, FOAM, DRY CHEMICAL

Spill Release Procedures: ELIMINATE SOURCES OF IGNITION. ABSRB ON POROUS INERT MATERIAL. PLACE IN A CLOSED CONTAINER.

Handling and Storage Precautions:STORE IN WARM AREAS TO PREVENT CRYSTALIZATION. Other Precautions:AVOID SKIN CONTACT AND INHALATION OF VAPOR.

======= Exposure Controls/Pers

onal Protection ============

Respiratory Protection:NIOSH/MSHA APROVED RESPIRATOR Ventilation:LOCAL EXHAUST-HOOD TYPE Protective Gloves:RUBBER GLOVES Eye Protection:GOGGLES Other Protective Equipment:PROTECTIVE CREAMJ Supplemental Safety and Health

HCC:N1 Spec Gravity:1.13 Appearance and Odor:LIQUID, COLOR GARDNER 5.

Stability Indicator/Materials to Avoi

d:YES Hazardous Decomposition Products:TOXIC FUMES AT DECOMPOSITION TEMPERATURES

Waste Disposal Methods:RENDER HARMLESS BY REACTION W/EPOXY CURING AGENT.MFG RECOMMENDS LANDFILL.DISPOSE IN ACCORDANCE W/LOCAL, STATE & FEDERAL CODES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America i n no manner whatsoever, expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.