View NSN Online: https://aerobasegroup.com/nsn/5610-00-852-1901

CROSSFIELD PRODUCTS CORP -- DEX-O-TEX P-61 GROUT POWDER -- 5610-00-852-1901

Product ID:DEX-O-TEX P-61 GROUT POWDER

MSDS Date:01/01/1987

FSC:5610

NIIN:00-852-1901

MSDS Number: BFSRR === Responsible Party ===

Company Name: CROSSFIELD PRODUCTS CORP

Emergency Phone Num:201-245-2800

CAGE:88167

=== Contractor Identification ===

Company Name: CROSSFIELD PRODUCTS CORP

Add

ress:140 VALLEY ROAD Box:City:ROSELLE PARK

State:NJ

ZIP:07204-1402 Country:US

Phone:908-245-2800

CAGE:88167

======= Composition/Information on Ingredients ========

Ingred Name:PORTLAND CEMENT

CAS:65997-15-1 RTECS #:VV8770000

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name: SILICA, CRYSTALLINE - QUARTZ

CAS:14808-60-7 RTECS #:VV7330000

OSHA PEL:SEE TABLE Z3

ACGIH TLV:0.1 MG/M3 RDUST;9293

========= Hazards Identification ==============

Effect

| s of Overexposure:EYES:INFLAMM.INHAL:NOSE INFLAM.SKIN:ALKALI BURNS,DRY SKIN(WET CEMENT).INGEST:CONSTIPATION |
|--|
| ====================================== |
| First Aid:INHAL:REMOVE TO FRESH AIR.EYES:FLUSH W/ PLENTY OF WATER & CALL MD.SKIN:WASH W/ SOAP & WATER.INGEST:CALL MD |
| ====================================== |
| Flash Point:N/R PER MFR Fire Fighting Procedures:NONE PER MFR Unusual Fire/Explosion Hazard:NONE PER MFR |
| Accidental Release Measures ==================================== |
| Spill Release Procedures:SWEEP OR VACUUM USING GOOD VENTILATION |
| ========== Handling and Storage ============ |
| Handling and Storage Precautions:STORE IN DRY AREA.WASH THOROUGHLY AFTER HANDLING.AVOID SKIN CONTACT. Other Precautions:PRODUCT WILL HARDEN IF IN CONTACT W/ WATER. |
| ====== Exposure Controls/Personal Protection ======== |
| Ventilation:LOCAL EXHAUST,MECHANICAL Protective Gloves:RUBBER Eye Protection:G OGGLES Other Protective Equipment:CLOTHING TO PROTECT SKIN Supplemental Safety and Health MSDS PREP:86056.SPEC DATA:TYPE 2.COLOR:GRAY |
| ======== Physical/Chemical Properties ========== |
| HCC:N1 Boiling Pt:B.P. Text:N/R(SOLID) Solubility in Water:SLIGHT Appearance and Odor:GREY POWDER-NO ODOR Percent Volatiles by Volume:0.0 |
| ========== Stability and Reactivity Data ========== |
| Stability Indicator/Materials to Avoid:YES NONE PER MFR Stability Condition to Avoid:CO |

NTAMINATION W/ WATER Hazardous Decomposition Products:NONE PER MFR

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE OF IN SANITARY LANDFILL IN ACCORDANCE W/FEDERAL,STATE & LOCAL REGULATIONS ON SOLID WASTE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, war rants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.