View NSN Online: https://aerobasegroup.com/nsn/9150-00-852-4656

SHELL OIL COMPANY -- ALVANIA EP GREASE 1, CODE 71031

MSDS Safety Information

FSC: 9150

NIIN: 00-852-4656 MSDS Date: 09/26/1991 MSDS Num: BFSSC

Product ID: ALVANIA EP GREASE 1, CODE 71031

MFN: 01

Responsible Party Cage: 54527

Name: SHELL OIL COMPANY

Box: 4320

City: HOUSTON TX 77210

Info Phone Nu

mber: 713-241-4819

Emergency Phone Number: 713-473-9461;800-424-9300(CHEMTREC)

Proprietary Ind: Y Published: Y

Contractor Summary

Cage: 54527

Name: SHELL OIL COMPANY

Box: 2463

City: HOUSTON TX 77210 Phone: 800-231-6950

Item Description Information

Item Name: GREASE,BALL AND

ROLLER BEARING

Ingredients

Name: *** PROPRIETARY ***

Health Hazards Data

Signs And Symptions Of Overexposure: SLIGHT SKIN & DEPARTMENT OF LEAD INTO BLOODSTREAM.

First Aid: SKIN:REMOVE PR

ODUCT BY WIPING OR APPLYING WATERLESS HAND CLEANER,

FOLLOWED BY WASHING W/SOAP & DEPARTMENT OF WATER. EYE: WASH W/LG AMT OF WATER. INGEST: CONSULT MD.

Handling and Disposal

Spill Release Procedures: SCOOP UP EXCESS. CLEAN AREA W/SOLVENT OR APROPRIATE CLEANSER

Waste Disposal Methods: CONTROLLED BURNING OR BURYING IN APPROVED LANDFILL, FOLLOWNG FED, STATE & DCAL CODES.

Handling And Stor

age Precautions: AVOID SKIN CONTACT. DO NOT USE ON FOOD

PROCESSING MACHINERY.KEEP AWAY FROM ANIMALS, FEED, OR FOOD PRODUCTS.USE GOOD PERSONAL HYGIENE.

Other Precautions: LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.DISCARD LEATHER GOODS WHEN CONTAMINATED. WASH BEFORE EATING & DOUBLE CONTAINS POLYCYCLIC CMPDS. SHOWN TO INDUCE CANCER IN LAB ANIMALS.

Fire and Explosion Hazard Information

=======

Flash Point Method: PMCC Flash Point Text: 430F,221C

Extinguishing Media: USE WATER FOG, DRY CHEM/CO*2. DO NOT USE DIRECT STREAM OF WATER. PROD WILL FLOAT & ERIGNITED ON SURF OF WATER.

Fire Fighting Procedures: USE NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT (FP N). COOL FIRE EXPOSED CONTAINERS SURROUNDING EQUIPMENT & STRUCTURES WITH WATER.

Unusual Fire/Explosion Hazard: SULFUR OXIDES & DYDROGEN SULFIDE, BOTH OF WHICH ARE TOXIC, MAY BE RELEASED U

PON COMBUSTION.

Control Measures

Respiratory Protection: NIOSH-APPROVED RESPIRATOR TO AVOID EXPOSURE TO HOT VAPOR FUMES

VAPORTONES

Ventilation: LOCAL: AS REQ D TO PREVENT EXPOSURE TO VAPOR FUMES

Protective Gloves: RUBBER

Eye Protection: NOT NORMALLY NEEDED

Other Protective Equipment: USE OIL RESISTANT RUBBER GLOVES

Supplemental Safety and Health: MFG STATES EPIDEMIOLOGIC STUDIES SUGGEST THE

Р

OSIBILITY OF CANCER INDUCTION IN MAN AFTER PROLONGED/REPEATED CONTACT W/POOR HYGIENE.SKIN:POSS. DEFATTING & DISORDERS.
Physical/Chemical Properties
ACC: V6 ALP/F.P Text: 351F,177C Beec Gravity: 7.5 (H*2O=1) Bolubility in Water: NEGLIGIBLE Appearance and Odor: DARK BROWN SMOOTH GREASE-SLIGHT ODOR
Reactivity Data
Stability Indicator: YES Stability Condition To Avoid: HEAT, OPEN FLAME. Materials To Avoid: STRONG OXIDIZING AGENTS. Hazardous Decomposition Products: CO, CO*2, LI*20, S OXIDES, PB OXIDES & OXYGENATES BY DECOMP Hazardous Polymerization Indicator: NO
oxicological Information
cological Information
######################################
Regulatory Information
Dther Information
Responsible Party Cage: 54527 Frans ID NO: 88813 Product ID: ALVANIA EP GREASE 1, CODE 71031 MSDS Prepared Date: 09/26/1991 Review Date: 06/14/1995 MFN: 1 Multiple KIT Number: 0 Review IND: Y Additional Data: NOT REG FOR SHIPPING
Detail DOT Information
OOT PSN C

ode: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

Detail IMO Information

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

Detail IATA Information

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULAT ED BY THIS MODE OF TRANSPORTATION

Detail AFI Information

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

HAZCOM Label

Product ID: ALVANIA EP GREASE 1, CODE 71031

Cage: 54527

Company Name: SHELL OIL COMPANY

PO Box: 2463 City: HOUSTON

TX

Zipcode: 77210

Health Emergency Phone: 713-473-9461;800-424-9300(CHEMTREC)

Label Required IND: Y

Date Of Label Review: 05/19/1994

Status Code: C

Label Date: 05/19/1994
Origination Code: G
Chronic Hazard IND: Y
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: CAUTION

Respiratory Protection IND: YES

Health Hazard: Slight Contact Hazard: Slight Fire Hazard: Slight Reactivity Hazard: None

Hazard And Precautions: COMBUSTIBLE. ACUTE: EYES: MILDLY IRRITATING. SKIN: HIGH

PRESSURE INJEC

TION MAY CAUSE PAIN, TISSUE DAMAGE. SEE MD. SKIN CONTACT MAY RESULT IN ABSORPTION OF LEAD. INHAL: UNDER HIGH TEMPERATURES VAPORS M AY BE IRRITATING TO NOSE, THROAT & DEPER RESPIRATORY TRACT. INGEST: MAY RESULT IN ABSORPTION OF LEAD. CHRONIC: LEAD APPEARS ON NAVY OCCUPATIONAL REPRODUCTIVE HAZARDS LIST (FP N). PROLONGED/REPEATED CO NTACT MAY CAUSE DERMATITIS, FOLLICULITIS OR OIL ACNE. LEAD POISONING CAN CAUSE ANEMIA, BRAIN & DERVOUS SYSTEM DAMAGE, KIDNEY EFFECTS.

==========

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United

States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.