

WELCH VACUUM TECHNOLOGY, INC. -- 1407K DUOSEAL VACUUM PUMP OIL -- 9150-00-852-4660  
===== Product Identification =====

Product ID:1407K DUOSEAL VACUUM PUMP OIL

MSDS Date:08/29/1991

FSC:9150

NIIN:00-852-4660

MSDS Number: BFSSG

=== Responsible Party ===

Company Name:WELCH VACUUM TECHNOLOGY, INC.

Address:7300 N LINDER AVE

Box:183

City:SKOKIE

State:IL

ZIP:60076-0183

Country:US

Info Phone Num:312-267-5

300

Emergency Phone Num:708-676-8800/312-267-5300

CAGE:IO538

=== Contractor Identification ===

Company Name:SARGENT-WELCH SCIENTIFIC CO

Address:7300 N LINDER AVE

Box:1026

City:SKOKIE

State:IL

ZIP:60076

Country:US

Phone:312-267-5300

CAGE:64484

Company Name:SARGENT-WELCH SCIENTIFIC COMPANY

Address:7300 N LINDER AVE

Box:City:SKOKIE

State:IL

ZIP:60076-0183

Phone:(708) 676-8800 OR (312) 677-06

CAGE:0NCC5

Company Name:WELCH VACUUM TECHNOLOGY INC/THOMAS INDUSTRIES INC

Address:7300 NORTH LINDER AVE

Box:

183  
City:SKOKIE  
State:IL  
ZIP:60076-0183  
Country:US  
Phone:708-676-8800 EXT. 1  
CAGE:IO538

=====  
Composition/Information on Ingredients  
=====

Ingred Name:REFINED PETROLEUM OIL (DISTILLATES,SOLVENT-DEWAXED HEAVY  
PARAFFINIC)  
CAS:64742-65-0  
RTECS #:PY8038500  
Fraction by Wt: 100%

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:LC50 ORAL,RAT=5000MG/M3  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Health Hazards Acute and Chronic:  
INHAL:BRONCHITIS OR PULMONARY IRRIT.  
MISTS ABOVE TLV MAY CAUSE CHEMICAL PNEUMONITIS. INGEST:INGEST LG  
AMTS (BETWEEN A PINT & QUART) CAN BE FATAL TO A 150LB ADULT HUMAN.  
EYE:IRRIT.  
Effects of Overexposure:INHAL:DROWSINESS, HEADACHE, NAUSEA, CHEMICAL  
PNEUMONITIS. BRONCHITIS OR PULMONARY IRRITATION. EYE:REDNESS,  
TEARING.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
First Aid Measures  
=====

First Aid:INHAL:REMOV  
E TO FRESH AIR. PROVIDE RESPIRATOR SUPPORT IN CASE  
OF DIFFICULTY IN BREATHING. SEEK MED AID. EYE:SUSTAINED FLUSHING  
W/FREE SOAP & WATER. SKIN:WASH THOROUGHLY W/SOAP & WATER. REMOVE  
CONTAMINATED CLOTHING. INGEST:IMMED SEEK MED AID. DO NOT ATTEMPT  
TO INDUCE VOMTING.

=====  
Fire Fighting Measures  
=====

Flash Point:441F (228C),PMCC  
Autoignition Temp:Autoignition Temp Text:510F  
Extinguishing Media:CO\*2,DRY CHEMICAL,FOAM/H\*20 FOG.  
Fire Fighting Proce

dures:NONE

Unusual Fire/Explosion Hazard:H\*20 MAY CAUSE FROTHING.VERY HIGH MIST  
CONCENTRATION CAN RESULT IN FIRE + EXPLOSION HAZARD.

===== Accidental Release Measures =====

Spill Release Procedures:STOP ANY LEAKS. REMOVE SOURCES OF  
HEAT/IGNITION. PROVIDE ADEQUATE VENTILATION. SOAK UP SMALL SPILLS  
W/RAGS, SAND OR SPECIAL ABSORBENTS. WALL OFF LARGER SPILLS W/SAND  
OR SPECIAL ABSORBENT. PICK UP W/SUITABLE PUMP.

Neutralizing Agent:NONE SPECIFIED BY MANUF  
ACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT POUR OR HANDLE IN PRESENCE OF  
AN OPEN FLAME OR HOT ELECTRICAL ELEMENT.

Other Precautions:WASH CONTAMINATED SKIN & CLOTHING THOROUGHLY WITH  
SOAP AND WATER AT THE FIRST OPPORTUNITY AND PRIOR TO REUSE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT USUALLY REQUIRED. IF HIGH VAPOR OR MIST  
CONCENTRATIONS ARE EXPECTED, USE  
RESPIRATOR APPROVED FOR ORGANIC  
VAPORS AND MISTS.

Ventilation:LOCAL EXHAUST WHEN WORK AREA EXCEEDS TLV.

Protective Gloves:OIL IMPERVIOUS

Eye Protection:SFTY/CHEM SPLASH GOGGLES

Other Protective Equipment:BODY-COVERING WORK CLOTHES TO AVOID  
PRLNG/RPTD EXPOSURE.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.REMOVE & LAUNDER  
CONTAMINATED CLOTHING.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:75

OF (399C)

Melt/Freeze Pt:M.P/F.P Text:N//K

Vapor Pres:0

Vapor Density:> 1

Spec Gravity:0.88

Evaporation Rate & Reference:< 1 (BUTYL AC)

Solubility in Water:NEGLIGIBLE

Appearance and Odor:VISCOUS, AMBER LIUQID WITH A BLAND ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDANTS

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:CO,CO\*2

===== Disposal Considerations =====

====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.