

MOBAY CHEMICAL CORPORATION,INORGANIC CHEMICALS DIV -- BABYSILONE FLUID M 10,000 --  
9150-00-864-4973

=====  
Product Identification  
=====

Product ID:BABYSILONE FLUID M 10,000

MSDS Date:01/01/1987

FSC:9150

NIIN:00-864-4973

MSDS Number: BFTCX

=== Responsible Party ===

Company Name:MOBAY CHEMICAL CORPORATION,INORGANIC CHEMICALS DIV

Emergency Phone Num:(412)923-1800

CAGE:DO465

=== Contractor Identificat

ion ===

Company Name:BAYER CORPORATION

Address:100 BAYER ROAD

Box:City:PITTSBURGH

State:PA

ZIP:15205-9741

Country:US

Phone:800-662-2927; 202-483-7616

CAGE:19511

Company Name:MOBAY CHEMICAL CORPORATION

Address:8400 HAWTHORN RD

Box:City:KANSAS CITY

State:MO

ZIP:64120

Phone:301-321-5200

CAGE:DO465

=====  
Composition/Information on Ingredients  
=====

Ingred Name:DIMETHYL POLYSILOXANE

=====  
Hazards Identification  
=====

Effects of Overexposure:MAY

IRRITATE EYES AND SKIN.NO SERIOUS EFFECTS  
WERE NOTED BY THE MFR.

=====  
First Aid Measures  
=====

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O\*2 IF  
NEED;EYES/SKIN:FLUSH W LG AMTS H\*2O FOR 15 MIN;INGEST:RINSE MOUTH;  
GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER  
SYMPTOMS OF OVEREXPOSURE.

=====  
Fire Fighting Measures  
=====

Flash Point:572F/300C (C.C)  
Extinguishing Media:SAND,FOAM,CO\*2,DRY  
CHEMICALS  
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA IN CONFINED AREA.  
Unusual Fire/Explosion Hazard:DURING A FIRE IRRITATING/AND OR TOXIC  
GASES AND AEROSOLS FROM DECOMPOSITION/COMBUSTION PRODUCTS FORM

=====  
Accidental Release Measures  
=====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;USE SUITABLE  
ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL.

=====  
Handling and Storage  
=====

Handling and Storage  
Precautions:STORE IN COOL DRY AND WELL VENTILATED  
AREA.DO NOT STORE ABOVE 120F.KEEP AWAY FROM HEAT,OPEN FLAME;KEEP  
CONTAINER CLOSED WHEN NOT IN USE.  
Other Precautions:AVOID CONTACT WITH EYES AND SKIN;DO NOT BREATHE  
VAPORS/MIST.KEEP AWAY FROM FOOD AND BEVERAGES.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR  
MIST/VAPORS IF ABOVE TLV.  
Ventilation:MECH(GEN)OR LOCAL EXHAUST THAT PROVIDES ADEQUATE  
VENTILATION  
Protective Gloves:IMPERVIOUS  
Eye Protection:GOGGLES/FACE SHIELD  
Other Protective Equipment:FULL WORK CLOTHING TO PREVENT REPEATED OR  
PROLONGED CONTACT.  
Supplemental Safety and Health  
MSDS DATED:02/17/81

=====  
Physical/Chemical Properties  
=====

HCC:V6  
Spec Gravity:0.98  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:CLEAR,COLORLESS,ODORLESS LIQUID.  
Percent Volatiles by Volume:2.0

=====  
Stability and Reactivity Data  
=====

===

Stability Indicator/Materials to Avoid: YES  
NONE NOTED  
Stability Condition to Avoid: EXTREME HEAT.  
Hazardous Decomposition Products: NONE NOTED

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.