

WILLIAM F. NYE,INC. -- METHYL SILICONE 5000 TO 550,000 -- 9150-00-864-4973

=====  
Product Identification  
=====

Product ID:METHYL SILICONE 5000 TO 550,000

MSDS Date:08/01/1984

FSC:9150

NIIN:00-864-4973

MSDS Number: BFTDC

=== Responsible Party ===

Company Name:WILLIAM F. NYE,INC.

Box:G-927

City:NEW BEDFORD

State:MA

ZIP:02742

Emergency Phone Num:617-996-6721 OR 617-758-4408

CAGE:HO006

=== Contractor

Identification ===

Company Name:NYE LUBRICANTS INC

Address:12 HOWLAND RD

Box:City:FAIR HAVEN

State:MA

ZIP:02719

Country:US

Phone:508-996-6721

CAGE:98354

Company Name:WILLIAM F. NYE,INC

Box:G-927

CAGE:HO006

=====  
Composition/Information on Ingredients  
=====

Ingred Name:NON-HAZARDOUS INGREDIENTS

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Health Hazards Acute and Chronic:INHALATION OF MISTS OR VAP

ORS AT HIGH

TEMPERATURES MAY IRRITATE RESPIRATORY PASSAGE. PROLONGED OR REPEATED CONTACT WITH SKIN OR EYES MAY CAUSE IRRITATION.

Effects of Overexposure:MAY CAUSE IRRITATION.

Medical Cond Aggravated by Exposure:NONE STATED.

=====  
First Aid Measures  
=====

First Aid:INH:REMOVE TO FRESH AIR; SKIN:WASH WITH SOAP & WATER;  
EYE:FLUSH WITH WATER & REFER TO PHYSICIAN FOR TREATMENT. USE  
ORDINARY MEASURES OF PERSONAL HYGIENE. AVOID CONTAMINATION OF  
  
CIGARETTES OR OTHER TOB ACCO PRODUCTS.

=====  
Fire Fighting Measures  
=====

Flash Point:>400F/204C

Extinguishing Media:CO\*2,FOAM,DRY CHEMICAL,WATER SPRAY.

Fire Fighting Procedures:AVOID SMOKE INHALATION. WATER SPRAY MAY CAUSE  
FROTHING.

Unusual Fire/Explosion Hazard:NONE STATED.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:REMOVE FREE LIQUID. ADD  
ABSORBENT(SAND,EARTH,SAWDUST) TO SPILL AREA. AFTER REMOVIN

G  
ABSORBENT,WASH WALKING SURFACES WITH SOAP & WATER TO REDUCE  
SLIPPING HAZARD.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:ORDINARY CARE IN HANDLING  
CHEMICALS.AVOID CONTAMINATION OF CIGARETTES OR OTHER TOBACCO  
PRODUCTS.WASH HANDS BEFORE SMOKING.

Other Precautions:USERS SHOULD BE ALERT TO THE POSSIBILITY THAT VERY  
SMALL PERCENTAGE OF THE POPULATION MAY DISPLAY UNEXPECTED ALLERGIC  
SKIN REACTIONS TO INNOCUOUS INDUSTR  
IAL CHEMICALS & RAW MATERIALS.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NONE REQUIRED UNLESS MISTS,SMOKE OR VAPORS ARE  
PRODUCED AT HIGH TEMPERATURES.

Ventilation:NORMAL VENTILATION.

Protective Gloves:RECOMMENDED,TO AVOID PROLONGED CONTACT.

Eye Protection:SAFETY GLASSES.

Other Protective Equipment:NONE STATED.

Work Hygienic Practices:ORDINARY HYGIENE PRACTICES.

Supplemental Safety and Health

=====  
Physical/Chemical Properties  
=====

=====

HCC:V6

Vapor Density:>1

Spec Gravity:0.96

Evaporation Rate & Reference:SLOWER THAN ETHER

Percent Volatiles by Volume:0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING MATERIALS.

Stability Condition to Avoid:HEAT,FLAME.

Hazardous Decomposition Products:CO\*2, CO & OTHER TOXIC FUMES.

===== Disposal Considerations =====

Waste Disposal Methods:MANY STATES CLASSI

FY WASTE LUBES AS

HAZARDOUS,WHICH MEANS DISPOSAL ONLY BY A LICENSED FIRM. CONSULT  
LOCAL,STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent  
professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.