View NSN Online: https://aerobasegroup.com/nsn/8040-00-880-7332

Product ID:RTV-118 ADHESIVE SEALANT MSDS Date:01/01/1987 FSC:8040 NIIN:00-880-7332 **MSDS Number: BFTQS** === Responsible Party === Company Name: GENERAL ELECTRIC CO, SILICONE PRODUCTS DEPT Emergency Phone Num:518-237-3330 CAGE:01139 === Contractor Identification === Company N ame:GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT Address:260 HUDSON RIVER RD Box:City:WATERFORD State:NY ZIP:12188 Country:US Phone:518-237-3330/800-332-3390 CAGE:01139

Ingred Name:ROOM TEMPERATURE VULCANIZING SILICONE RUBBER

Effects of Overexposure:EYE & NOSE IRRIT FROM VAPORS; SKIN-FROM UNCURED PRODUCT. RESPIRATORY IRRIT. EYE CONTACT CAUSES I RRIT

First Aid:EYE: IMMEDIATELY FLUSH W/WATER FOR 15 MIN. CALL MD. SKIN: WIPE OFF & WASH W/SOAP & WATER. INHAL: MOVE TO FRESH AIR.

Extinguishing Media:ALL STANDARD FIRE FIGHTING AGENTS Fire Fighting Procedures:NONE REQUIRED Unusual Fire/Explosion Hazard:NONE

Spill Release Procedures:

WIPE OR SCRAPE UP & DISPOSE IN WASTE RECEPTACLE

Handling and Storage Precautions: ACETIC ACID VAPOR WILL BE LIBERATED DURING APPLICATION & CURING. ADEQUATE VENTILATION IS REQ TO MAINTAIN BELOW TLV. Other Precautions: CURED PRODUCT REQUIRES NO SPECIAL PRECAUTIONS Respiratory Protection:NOT REQ UNLESS NORMAL VENTILATION IS INADEQUATE Ventilation:PROV IDE SUFFICIENT VENTILATION TO REMOVE ACETIC ACID VAPORS Protective Gloves:NOT NORM REQ Eye Protection:SFTY GLASSES REC Other Protective Equipment:NOT REQ Supplemental Safety and Health EVAP RATE & VAPOR PRESS FOR CURED PRODUCT. MFG LISTS TLV OF 10 PPM-BASED ON ACETIC ACID. % VOLATILE BY VOL: 3 TO 5%. HCC:N1 Boiling Pt:B.P. Text:NONE Spec Gravity:1.1 Solubility in Water:NEGLIGIBLE Appearance and Odor: TRANSLUCENT PASTE, ODO **R OF ACETIC ACID IS PRESENT** Stability Indicator/Materials to Avoid:YES NONE KNOWN Hazardous Decomposition Products: COMBUSTION WILL PRODUCE SIO*2 & CO*2 Waste Disposal Methods: DISPOSE OF IN LANDFILL OR BY INCINERATION (MFG REC)

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of t he Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.