View NSN Online: https://aerobasegroup.com/nsn/8010-00-901-8082

Product ID:TT-P-29,TYPE 1 MSDS Date:01/01/1987

FSC:8010

NIIN:00-901-8082

MSDS Number: BFVPM === Responsible Party ===

Company Name: STIC-ADHESIVE PRODUCTS CO. INC.

Emergency Phone Num:213-268-2956

CAGE:59142

=== Contractor Identification ===

Company Name: STIC-ADHESIVE PRODUCTS CO INC

Address:39

50 MEDFORD ST

Box:City:LOS ANGELES

State:CA

ZIP:90063-1675 Country:US CAGE:59142

====== Composition/Information on Ingredients ========

Ingred Name:1-3-(CHLOROALLYL)-3,5,7-TRIAZA-L-AZONIAADAMANTANE CHLORIDE

CAS:4080-31-3

RTECS #:XX8450000 ACGIH TLV:200 PPM

Ingred Name: FORMALDEHYDE (SARA III)

CAS:50-00-0

RTECS #:LP8925000

OSHA PEL:SEE 1910.1048

ACGIH TLV:C 0.3 PPM; A2; 9293

EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

======== Hazards Identification ==========

Effects of Overexposure:IRRITATION OF EYES,NASAL PASSAGE,OR SKIN
======================================
First Aid:SKIN CONTACT-WASH WITH SOAP AND WATER. EYE CONTACT-FLUSH WITH COLD WATER. IF SWALLOWED,INDUCE VOMITING AND CALL PHYSICIAN.
======================================
Fire Fighting Procedures:NONE
========== Accidental Release Measures ============
Spill Release Procedures:CLEAN UP WITH WATER BEFORE DRYING. SPRINKLE SODIUM CHLORIDE OR CALCIUM ON SPILL TO FACILITATE CLEAN UP.
======================================
Handling and Storage Precautions: USE WITH ADEQUATE VENTILATION. STORE BETWEEN 40-100F. REMOVE FROM SKIN AS SOON AS PRACTICAL AFTER CONTACT.
Other Precautions:PIPELINES SHOULD BE FILLED AT ALL TIMES, OR THOROUGHLY RINSED AFTER USE. KEEP CONTAINERS TIGHTLY SEALED.
====== Exposure Controls/Personal Protection ========
Res piratory Protection:MASK WORN TO PREVENT INHALATION OF SPRAY MIST OR HEATED VAPORS. Ventilation:LOCAL AND OR MECHANICAL Protective Gloves:RUBBER,PLASTIC Eye Protection:SAFETY GLASSES OR GOGGLES Supplemental Safety and Health
========== Physical/Chemical Properties ============
HCC:N1 Solubility in Water:COMPLETE
========= Stability and Reactivity Data ===========
Stability Indicator/Materials to Avoid:YES
======== Disposal Considerations ===

=============

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH STANDARD PROCEDURES USED WITH LATEX PRODUCTS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent profe ssional advice to verify and assume responsibility for the suitability of this information to their particular situation.