View NSN Online: https://aerobasegroup.com/nsn/8030-00-903-0931

## ASHLAND CHEMICAL COMPANY, DIVISION OF ASHLAND OIL -- TECTYL 846 -- 8030-00-903-0931

Product ID:TECTYL 846 MSDS Date:11/20/1986

FSC:8030

NIIN:00-903-0931

MSDS Number: BFVRR === Responsible Party ===

Company Name: ASHLAND CHEMICAL COMPANY, DIVISION OF ASHLAND OIL

Address:1409 WINCHESTER AVENUE

Box:391

City: ASHLAND

State:KY ZIP:41114 Country:US

Info Phone Num:614-790-

3333

Emergency Phone Num:606-324-1133

CAGE:DO048

=== Contractor Identification ===

Company Name: ASHLAND CHEMICAL CO., ASHLAND OIL DIV.

Address:P.O. BOX 2219

Box:2219

City:COLUMBUS

State:OH ZIP:43216

Phone:606-324-1133

CAGE:DO048

Company Name: ASHLAND INC Address: 1409 WINCHESTER AVE

Box:391

City: ASHLAND

State:KY ZIP:41114 Country:US

Phone:800-622-6846

CAGE:81355

====== Composition/Information on Ingredients ========

Ingred Name:STODDARD SOLVENT

CAS:8052-41-3

RTECS #:WJ8925000

Fract

ion by Wt: 45-50% OSHA PEL:500 PPM ACGIH TLV:100 PPM; 9293 Ingred Name: UNIDENTIFIED COMPONENTS ========== Hazards Identification ============================ Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Health Hazards Acute and Chronic:ACUTE:EYES:SEVERE IRRITATION, REDNESS, TEARING, BLURRED VISION SKIN: MODERATTE IRRITATION, DERMATITIS. INHALATION: RESPIRATORY IRRITATION.DIZZINESS, NAUSEA HEADACHE, CNS EFFECTS INGESTION: G.I IRRITATION NAUSE A, VOMITTING, DIARRHEA CHRON IC:DEFAT, DERMATITIS. Effects of Overexposure: EYES: SEVERE IRRITATION, REDNESS, TEARING BLURRED VISION SKIN:MODERATE IRRITATION, DEFATING, DERMATITIS INHALATION: RESPIRATORY IRRITATION, DIZZINESS, WEAKNESS, FATIGUE, NAUSEA, HEADACHE, CNS EFFECTS. Medical Cond Aggravated by Exposure: PRE-EXISTING CONDITIONS MAY BE **WORSEN** First Aid:SKIN:WASH THOROUGHLY WITH SOAP & WATER EYES:FLUSH WITH WATER FOR AT LEAST 15 MINUTES, GET ME DICAL ATTENTION. INHALATION: REMOVE VICTAM TO FRESH AIR.CALL A PHYSICIAN. INGESTION:DO NOT INDUCE VOMITING; KEE P PERSON WARM, GET MEDICAL ATTENTION. ============ Fire Fighting Measures ========================= Flash Point:100F/37.8C Lower Limits: 1.0 Extinguishing Media:FOAM,CO\*2,DRY CHEMICAL Fire Fighting Procedures: USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED **AREA** Unusual Fire/Explosion Hazard: VAPORS ARE HEAVIER THAN AIR AND MAY TRAVEL ALONG THE GROUND AND MAY BE IGNITED. USE REASONABLE CARE. ======== Accidental Release Measures ============ Spill Release Procedures: USE PROPER PERSONAL PROTECTION; USE SUITABLE ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL. Handling and Storage Precautions: STORE IN COOL, DRY AND WELL VENTILATED AREA. KEEP AWAY FROM HEAT, OPEN FLAME AND SPARKS. ===== Exposure Controls/Personal Protection ========

Respiratory Protect

ion:USE NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC VAPORS/MIST IF ABOVE PEL/TLV

Ventilation:GENERAL AND/OR LOCAL EXHAUST TO MAINTAIN EXPOSURE BELOW TLV/PEL

Protective Gloves: IMPERVIOUS/NEOPRENE, NITRILE RUBBER

Eye Protection: CHEMICAL GOGGLES

Other Protective Equipment: NORMAL WORK CLOTHING COVERING ARMS AND LEGS.

Work Hygienic Practices: AVOID CONTACT WITH EYES AND SKIN; DONOT BREATHE VAPORS/MIST WASH THOROUGHLY AFTER EACH USE.

Supplemental Safety and Health

HCC:F4
Boiling Pt:B.P. Text:300F/149C
Vapor Pres:2.0MMHG
Vapor Density:>1.0,AIR=1
Spec Gravity:0.876

Evaporation Rate & Dry; Reference: