

GENERAL ELECTRIC COMPANY, SILICONE PRODUCTS DIV -- DBT(T-12, THERMOLITE-12.) --  
6850-00-910-8667

=====  
Product Identification  
=====

Product ID:DBT(T-12, THERMOLITE-12.)

MSDS Date:01/01/1987

FSC:6850

NIIN:00-910-8667

MSDS Number: BFWBQ

==== Responsible Party ====

Company Name:GENERAL ELECTRIC COMPANY, SILICONE PRODUCTS DIV

Emergency Phone Num:714-8642310

CAGE:01139

==== Contractor Identification ====

Company Name:GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT

Address:260 HUDSON RIVER RD

Box:City:WATERFORD

State:NY

ZIP:12188

Country:US

Phone:518-237-3330/800-332-3390

CAGE:01139

=====  
Composition/Information on Ingredients  
=====

Ingred Name:DIBUTYL TIN DILAURATE (AS TIN)

CAS:77-58-7

RTECS #:WH7000000

Fraction by Wt: 100%

OSHA PEL:S, 0.1 MG/M3

ACGIH TLV:S, 0.1 MG/M3; 8990

=====  
Hazards Identification  
=====

Effects of Overexposure:SEV

ERE EYE IRRITATION ON CONTACT, PROLONGED

SKIN CONTACT IS IRRITATING.

=====  
First Aid Measures  
=====

First Aid:INHAL:RMV TO FRESH AIR. IF NOT BRTHNG GIVE CPR; IF BRTHNG  
DIFF GIVE OXYGEN. EYE:IMMED FLUSH W/PLENTY OF WATER. SKIN:WASH  
W/SOAP&WATER. RMV CONTAM CLTHG&SHOES. INGEST:INDUCE VOMIT. RPT  
UNTIL VOMIT IS C LEAR. NOTHG BY MOUTH IF UNCONSC. GET MEDICAL ATTN.

=====  
Fire Fighting Measures  
=====

Flash Point

:455 DEG F (COC)

Extinguishing Media:ALL STANDARD FIREFIGHTING AGENTS ARE SUITABLE.

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB IN INERT MATERIAL. WEAR RUBBER GLOVES DURING CLEANUP. PLACE SPILL IN METAL CONTAINER FOR DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:NONE

Other Precautions:DO NOT INGEST. OBSERVE GOOD PERSONAL HYGIENE NEEDS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE

Ventilation:LOCAL VENTILATION.

Protective Gloves:NEOPRENE GLOVES

Eye Protection:SAFETYGLASSES

Other Protective Equipment:SUITABLE APRON IF HANDLING FREQUENTLY.

Supplemental Safety and Health

MSDS DTD 14NOV86.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:>400F

Spec Gravity:1.05

Evaporation Rate & Reference:LOW

S

Solubility in Water:NEGLIGIBLE

Appearance and Odor:COLORLESS OR YELLOWISH OILY LIQ; FAT-LIKE ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products:AT ELEVATED TEMP, TIN OXIDES, CO\*2 & HYDROCARBONS

===== Disposal Considerations =====

Waste Disposal Methods:DBT IS NOT HAZARDOUS WASTE PER 40CFR261.

DISPOSAL PER APPLICABLE STATE/LOCAL ORDINANCES FOR INDUSTRIAL WASTE

E.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.