View NSN Online: https://aerobasegroup.com/nsn/6810-00-912-4766 DOW CHEMICAL USA -- DOWEX SBR-P -- 6810-00-912-4766 Product ID:DOWEX SBR-P MSDS Date:01/01/1987 FSC:6810 NIIN:00-912-4766 MSDS Number: BFWDF === Responsible Party === Company Name: DOW CHEMICAL USA Emergency Phone Num:517 636 4400 CAGE:EO044 === Contractor Identification === Company Name: DOW CHEMICAL CO Address: 100 LARKIN CENTER Box:City:MIDLAND State:MI ZIP:4867 4 Country:US Phone:800-258-2436 CAGE:96717 Company Name: DOW CHEMICAL USA Address: 2020 DOW CENTER City:MIDLAND State:MI ZIP:48640-6030 Country:US CAGE:EO044 ======= Composition/Information on Ingredients ======== Ingred Name: RESIN WT% RANGE IS 25-62% (DOW) Ingred Name:WATER, CAS7732-18-5. WT% RANGE IS 38-75%(DOW) CAS:7732-18-5 RTECS #:ZC0110000 ============= Hazards Identification ========================

Effects of Overexposure:EYE,SKN,INHL:LOW TOX,POSS IRRT & DEHYDR

======================================
First Aid:EYE:FLUSH 15 MIN W/AMPLE WATER.SKN: WATER WASH.INHL:REMOVE TO DUST FREE AREA. INGEST:LOW TOX, RESIN USUALLY PASSES GI TRACT W/O ABSORPTION.
======================================
Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard:NONE
========= Accidental Release Measures ============
Spill Release Procedures:SWEEP UP INTO CLOSED CONTAINERS. PRODUCT MAY BE REUSED IF NOT CONTAMINATED.
======================================
Handling and Storage Precautions:PRACTICES REASONABLE CARE & CAUTION. DO NOT STORE ABOVE 120F (DOW)
======= Exposure Controls/Personal Protection =========
Respiratory Protection:USE APPD DUST RESP AS REQD. Ventilation:NO SPECIAL VENT REQD. Protective Gloves:NONE Eye Protection:GOGGLE AS REQD. Supplemental Safety and He alth
ENTRY PER NON-OSHA MSDS DTD 17OCT73. SEE PNI A,B,C, THIS NSN, FOR OTHER DOW PRODUCTS MEETING SPEC O-I-1279. %VOLATILE RANGE:38-75%. CLASS 2 TRIMETHYLAMINE QUATERNARY ANION EXCH RESIN,STR BASE
========== Physical/Chemical Properties ============
HCC:N1 Spec Gravity:0.64 Solubility in Water:INSOL Appearance and Odor:WHITE TO AMBER SOLID BEADS,ODORLESS TO AMINE ODOR. Percent Volatiles by Volume:SUPP
======================================

ATION.ING:POSS DEPLETION OF BODY ESSENTIAL METALS.

Stability Indicator/Materials to Avoid:YES NONE
Stability Condition to Avoid:NONE
Hazardous Decomposition Products:NONE

======= Disposal Considerations ===========

Waste Disposal Methods:BURIAL IN APPROVED CAN LANDFILL IAW ALL STATE,LOCAL & FEDERAL REGS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, ex

pressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.