

INMONT CORP. -- AP-582 -- 8010-00-926-1488

=====  
Product Identification  
=====

Product ID:AP-582

MSDS Date:01/01/1987

FSC:8010

NIIN:00-926-1488

MSDS Number: BFWRX

=== Responsible Party ===

Company Name:INMONT CORP.

Address:1255 BROAD STREET

Box:698

City:CLIFTON

State:NJ

ZIP:07013-4219

Country:US

Info Phone Num:201-365-3511 EX12

Emergency Phone Num:201-365-3511 EX12

CAGE:9C182

=== Contractor Iden

tification ===

Company Name:INLAND SPECIALTY CHEM CORP SUB OF GREAT LAKE CHEM

Address:3151 AIRWAY AVE SUITE J-3

Box:City:COSTA MESA

State:CA

ZIP:92626-4617

Country:US

CAGE:59987

Company Name:INMONT CORP.

Address:1255 BROAD STREET

Box:698

City:CLIFTON

State:NJ

ZIP:07013-4219

Country:US

Phone:201-365-3511 EX12

CAGE:9C182

=====  
Composition/Information on Ingredients  
=====

Ingred Name:METHYLENE CHLORIDE (SARA III)

CAS:75-09-2

RTECS #:PA8050000

Fraction by Wt: 50%

OSHA PEL:500 PP

M/C,1000; Z2  
ACGIH TLV:50 PPM, A2; 9192  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:PERCHLOROETHYLENE (TETRACHLOROETHYLENE) (SARA III)  
CAS:127-18-4  
RTECS #:KX3850000  
Fraction by Wt: 2%  
OSHA PEL:100 PPM  
ACGIH TLV:25PPM/100,A3 STEL;94  
EPA Rpt Qty:100 LBS  
DOT Rpt Qty:100 LBS

Ingred Name:PHENOL  
CAS:108-95-2  
RTECS #:SJ3325000  
Fraction by Wt: 17%  
OSHA PEL:S, 5 PPM  
ACGIH TLV:S, 5 PPM; 8990  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:SODIUM CHROMATE (SARA III)  
CAS:7775-11-3  
RTEC  
S #:GB2955000  
Fraction by Wt: 1%  
OSHA PEL:0.1 PPM CRO3;CEILING  
ACGIH TLV:0.05 MG CR/M3; 9192  
EPA Rpt Qty:10 LBS  
DOT Rpt Qty:10 LBS

=====  
===== Hazards Identification =====

Effects of Overexposure:INHAL:HEADACHE,DIZZINESS, NAUSEA. SKIN:SEVERE  
BURNS, LOSS OF SKIN COLOR.EYES:SEE SUPP DATA

=====  
===== First Aid Measures =====

First Aid:INHALATION:REMOVE TO FRESH AIR.GIVE ARTIF.RESP.GIVE OXYGEN  
AFTER BREATHING STARTS.CALL DOCTOR.

EYES:FLUSH IMMEDIATELY W/WATER  
FOR 15 MIN.CALL DOCTOR.SKIN:WASH W/SOAP AND WATER FOLLOWED BY  
RUBBING.SEE S UPP DATA

===== Fire Fighting Measures =====

Extinguishing Media:CO\*2, DRY CHEMICAL,FOAM OR WATER FOG  
Fire Fighting Procedures:REMOVE SEALED DRUMS FROM VICINTY OF FIRE.  
SEALED DRU  
Unusual Fire/Explosion Hazard:MS HEATED BY FLAM OR HIGH TEMP. CAN  
RUPTURE.TOXIC CHLORINE OXIDES PRODUCED

===== Accidental Release Measures  
=====

Spill Release Procedures:VENTILATE AREA.ABSORB AND DISPOSE OF IN  
ACCORDANCE WITH LOCAL APPLICABLE REGULATIONS.

===== Handling and Storage =====

Handling and Storage Precautions:TRANSPORT AND STORE IN CLOSED  
CONTAINERS AT TEMPETATURES BETWEEN 40F AND 95F. DO NOT STORE IN  
DIRECT SUN,HEAT,FRESH AIR INTAKES OR UNVENTILATED AREAS.  
Other Precautions:OPEN BUNGS CAUTIOUSLY TO AVOID SPURTING

===== Exposure Controls/Personal  
Protection =====

Respiratory Protection:NOT REQUIRED UNDER NORMAL OPERATING CONDITIONS.  
Ventilation:USE DOWN DRAFT IF APPLIED BY SPRAY  
Protective Gloves:SOLVENT RESIST  
Eye Protection:FACE SHIELD OR GLASSES  
Other Protective Equipment:SOLVINT RESISTANT APRON AND BOOTS.  
Supplemental Safety and Health  
SEVER CHEMICAL BURNS.INGESTION:POISON. ALCOHOL. INGESTION:CALL  
DOCTOR.INDUCE VIMITING WITH SALT WATER,THEN GIVE BAKING SODA  
SOLUTION.LIE DOWN,COVER EYE

===== Physical/  
Chemical Properties =====

HCC:C5  
Boiling Pt:B.P. Text:110F,43.3C  
Vapor Pres:137  
Vapor Density:1.52  
Spec Gravity:1.2000  
Evaporation Rate & Reference:212F,100C TCC  
Appearance and Odor:THICK YELLOW BROWN TO BROWN EMULSION-PHENOLIC ODOR  
Percent Volatiles by Volume:77.5

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG ACIDS AND STRONG OXIDIZERS.  
Hazardous Decomposition Products:TOXIC OXIDES OF CHLORINE

=====

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL APPLICABLE REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.